


# LISTA DE APLICACIONES - BUYERS GUIDE

## RB0386




8 424073 119193

Qty: 944      Weight: 722

O.E.M.	MAKE
000 420 57 20	MERCEDES-BENZ
000 420 58 20	MERCEDES-BENZ
000 420 62 20	MERCEDES-BENZ
000 420 62 80	MERCEDES-BENZ
000 420 70 20	MERCEDES-BENZ
000 420 71 20	MERCEDES-BENZ
000 420 76 20	MERCEDES-BENZ
000 479 14 00	MERCEDES-BENZ
001 420 06 20	MERCEDES-BENZ
001 420 71 20	MERCEDES-BENZ
001 420 79 20	MERCEDES-BENZ
001 420 93 20	MERCEDES-BENZ
002 586 47 42	MERCEDES-BENZ
002 586 48 42	MERCEDES-BENZ
16 05 723	OPEL
2 726 75	VOLVO
2 726 750	VOLVO
2 728 77	VOLVO
2 728 772	VOLVO
90 297 420	VAUXHALL

## 4x



## RB0386

E 9

### 90R-01110/1048

Ate - Teves



61.8x56.6x15.5

WVA
20343
20630
20902
21035

FMSI
D58-796

Sin Filas



Trac.	CC	Kw	CV		
					Front / Rear

BENTLEY							
<b>T1 SERIES (U.S.A.) 09.65-12.76</b>					<b>Sedán (Luxury car-F Segment)</b>		
6.7	Gasolina	FWD	6695		09.65-		*
IRION							
<b>BF G 304 2 Type ASSE</b>							
AUTO TRANS	Diesel				01.53-		*
MASERATI							
<b>228 08.86-06.93</b>					<b>Coupé (Sports car-S Segment)</b>		
2.8 (473)	Gasolina	RWD	2790	182	247	07.87-12.90	*
2.8 i	Gasolina	RWD	2790	184	250	12.86-12.90	*
<b>BITURBO (AM 331) 12.81-06.93</b>					<b>Coupé (Sports car-S Segment)</b>		
i (452)	Gasolina	RWD	1996	136	184	07.85-04.87	*
S 2.0 (454)	Gasolina	RWD	1996	151	205	12.81-02.87	*
Si 2.0 (471)	Gasolina	RWD	1996	151	205	09.87-12.88	*
222 (471)	Gasolina	RWD	1996	162	220	01.89-12.92	*
2.24v (475)	Gasolina	RWD	1996	180	245	03.89-06.93	*
E	Gasolina	RWD	2491	139	189	06.82-10.87	*
ES (453)	Gasolina	RWD	2491	147	200	09.83-12.86	*
222 E (473)	Gasolina	RWD	2790	182	247	01.89-10.89	*
222 SE (473)	Gasolina	RWD	2790	184	250	01.88-12.90	*
<b>BITURBO (69, 78, AF3, AM 332) 06.84-12.94</b>					<b>Sedán (Sports car-S Segment)</b>		
4.24V (475)	Gasolina	RWD	1996	180	245	04.90-12.94	*
425 i	Gasolina	RWD	2469	138	188	09.87-12.88	*

# LISTA DE APLICACIONES - BUYERS GUIDE

425 (453)		Gasolina	RWD	2491	140	190	06.84-08.87	*
425 (453)		Gasolina	RWD	2491	147	200	06.84-08.87	*
430		Gasolina	RWD	2790	165	224	10.91-09.94	*
430 (473)		Gasolina	RWD	2790	182	247	02.88-12.94	*
2.8 SE		Gasolina	FWD	2790	184	250	03.91-12.94	*
430 4V		Gasolina	RWD	2790	209	284	10.91-09.94	*
<b>BITURBO Spider (AM 333) 07.85-12.94</b>					<b>Cabrio (Sports car-S Segment)</b>			
2.0 (452)		Gasolina	RWD	1996	136	184	07.85-04.87	*
2.8 (473)		Gasolina	RWD	2790	165	224	01.89-12.94	*
<b>GHIBLI II (AM336) 04.92-12.97</b>					<b>Coupé (Sports car-S Segment)</b>			
2.0 24V Biturbo (AM 496)		Gasolina	RWD	1996	225	306	05.92-12.97	*
2.0		Gasolina	RWD	1996	236	321	05.92-09.94	*
2.8 24V Biturbo (AM 574)		Gasolina	RWD	2790	209	284	06.92-12.97	*
<b>KARIF 04.88-06.00</b>					<b>Coupé (Sports car-S Segment)</b>			
2.8 (473)		Gasolina	RWD	2790	165	225	04.88-01.91	*
2.8 (473)		Gasolina	RWD	2790	182	247	04.88-12.92	*
<b>SHAMAL 09.89-11.95</b>					<b>Coupé (Sports car-S Segment)</b>			
3.2		Gasolina	RWD	3217	240	326	12.89-11.95	*
<b>MERCEDES-BENZ</b>								
<b>/8 (W114) 04.69-02.77</b>					<b>Coupé (Executive car-E Segment)</b>			
250 C (114.021) (M 114.920)		Gasolina	RWD	2496	96	130	04.69-06.72	*
250 CE (114.022) (M 114.980)		Gasolina	RWD	2496	110	150	04.69-04.72	*
280 C (114.073) (M 110.921)		Gasolina	RWD	2746	118	160	06.72-02.77	*
280 CE (114.072) (M 110.981)		Gasolina	RWD	2746	136	185	06.72-01.77	*
250 C 2.8 (114.023) (M 130.923)		Gasolina	RWD	2778	96	130	06.72-11.76	*
<b>/8 (W114) 01.68-11.76</b>					<b>Sedán (Executive car-E Segment)</b>			
200 (115.015) (M 115.923)		Gasolina	RWD	1988	63	86	01.68-01.77	*
200 (115.015) (M 115.926)		Gasolina	RWD	1988	63	86	01.68-01.77	*
200 (M 115.923)		Gasolina	RWD	1988	70	95	01.68-01.77	*
200 (M 115.926)		Gasolina	RWD	1988	70	95	01.68-01.77	*
220 (115.010) (M 115.924)		Gasolina	RWD	2200	66	90	01.68-07.73	*
220 (115.010) (M 115.920)		Gasolina	RWD	2200	77	105	01.68-07.73	*
230.6 (114.015) (M 180.954)		Gasolina	RWD	2292	88	120	01.68-11.76	*
230.4 (115.017) (M 115.951)		Gasolina	RWD	2307	81	110	08.73-12.76	*
250 (114.010) (M 114.920)		Gasolina	RWD	2496	85	116	01.68-08.72	*
250 (M 114.920)		Gasolina	RWD	2496	96	130	07.68-08.72	*
280 (114.060) (M 110.921)		Gasolina	RWD	2746	118	160	06.72-11.76	*
280 E (114.062) (M 110.981)		Gasolina	RWD	2746	136	185	06.72-11.76	*
250 2.8 (114.011) (M 130.923)		Gasolina	RWD	2778	96	130	06.72-11.76	*
200 D (115.115) (OM 615.913)		Diesel	RWD	1988	40	55	01.68-01.77	*
220 D (115.110) (OM 615.912)		Diesel	RWD	2197	44	60	01.68-01.77	*
240 D (115.117) (OM 616.916)		Diesel	RWD	2404	48	65	08.73-01.77	*
240 D 3.0 (115.114) (OM 617.910)		Diesel	RWD	2998	59	80	08.74-11.76	*
<b>123 (C123) 03.77-12.85</b>					<b>Coupé (Executive car-E Segment)</b>			
230 CE (123.243) (M 102.980)		Gasolina	RWD	2299	100	136	04.80-12.85	*
230 C (123.043) (M 115.954)		Gasolina	RWD	2307	80	109	05.77-04.80	*
280 C (123.050) (M 110.923)		Gasolina	RWD	2746	115	156	03.77-03.80	*
280 CE (M 110.988)		Gasolina	RWD	2746	130	177	09.77-08.79	*
280 CE (M 110.988)		Gasolina	RWD	2746	136	185	03.77-11.85	*

# LISTA DE APLICACIONES - BUYERS GUIDE

300 C Turbo-D (123.153) (OM 617.952)	Diesel	RWD	2998	92	125	09.81-07.85	*
<b>123 (W123) 01.76-12.85</b>				<b>Sedán (Executive car-E Segment)</b>			
200 (M 115.938)	Gasolina	RWD	1988	62	84	02.76-08.80	*
200 (M 115.939)	Gasolina	RWD	1988	62	84	02.76-08.80	*
200 (123.020) (M 115.938)	Gasolina	RWD	1988	69	94	02.76-08.80	*
200 (123.020) (M 115.939)	Gasolina	RWD	1988	69	94	02.76-08.80	*
200 (M 102.939)	Gasolina	RWD	1996	74	101	06.80-11.85	*
200 (123.220) (M 102.920)	Gasolina	RWD	1996	80	109	06.80-11.85	*
230 E (123.223) (M 102.980)	Gasolina	RWD	2299	100	136	04.80-12.85	*
230 (123.023) (M 115.954)	Gasolina	RWD	2307	80	109	02.76-03.81	*
250 (123.026) (M 123.921)	Gasolina	RWD	2525	95	129	02.76-10.79	*
250 (123.026) (M 123.921)	Gasolina	RWD	2525	103	140	10.79-07.85	*
280 (123.030) (M 110.923)	Gasolina	RWD	2746	115	156	02.76-08.81	*
280 E (123.033) (M 110.988)	Gasolina	RWD	2746	130	177	08.76-08.81	*
280 E (123.033) (M 110.984)	Gasolina	RWD	2746	136	185	02.76-11.85	*
280 E (123.033) (M 110.988)	Gasolina	RWD	2746	136	185	02.76-11.85	*
200 D (123.120) (OM 615.940)	Diesel	RWD	1988	40	55	07.76-02.79	*
200 D (OM 615.940)	Diesel	RWD	1988	44	60	03.79-11.85	*
220 D (123.126) (OM 615.941)	Diesel	RWD	2197	44	60	01.76-02.79	*
220 D (OM 615.941)	Diesel	RWD	2197	49	67	01.77-03.79	*
240 D (123.123) (OM 616.912)	Diesel	RWD	2399	48	65	02.76-02.79	*
240 D (123.123) (OM 616.912)	Diesel	RWD	2399	53	72	03.79-11.85	*
300 D (123.130) (OM 617.912)	Diesel	RWD	2998	59	80	02.76-07.80	*
300 D (123.130) (OM 617.912)	Diesel	RWD	2998	65	88	03.79-11.85	*
300 Turbo-D (123.133) (OM 617.952)	Diesel	RWD	2998	92	125	08.81-07.85	*
<b>123 T-Model (S123) 09.77-12.86</b>				<b>[CAMBIADO]:Break (Executive car-E Segment)</b>			
200 T (123.280) (M 102.939)	Gasolina	RWD	1997	74	101	11.80-11.85	*
200T (M 102.920)	Gasolina	RWD	1997	80	109	11.80-11.85	*
230 TE (123.283) (M 102.980)	Gasolina	RWD	2299	100	136	04.80-11.85	*
230 T (123.083) (M 115.954)	Gasolina	RWD	2307	80	109	09.77-03.80	*
250 T (123.086) (M 123.921)	Gasolina	RWD	2525	95	129	05.78-10.79	*
250 T (123.086) (M 123.921)	Gasolina	RWD	2525	103	140	05.78-08.82	*
280 TE (123.093) (M 110.988)	Gasolina	RWD	2746	136	185	09.77-11.85	*
240 T D (OM 616.912)	Diesel	RWD	2399	48	65	09.77-02.79	*
240 T D (123.183) (OM 616.912)	Diesel	RWD	2399	53	72	03.79-12.85	*
300 T D (123.190) (OM 617.912)	Diesel	RWD	2998	59	80	09.77-10.85	*
300 T D (123.190) (OM 617.912)	Diesel	RWD	2998	65	88	03.79-11.85	*
300 T Turbo-D (123.193) (OM 617.952)	Diesel	RWD	2998	92	125	10.80-11.85	*
<b>CABRIOLET (W111, W112) 09.61-12.71</b>				<b>Cabrió (Luxury car-F Segment)</b>			
280 SE 3.5 (111.025) (M 116.980)	Gasolina	RWD	3499	147	200	04.68-12.71	*
<b>HECKFLOSSE (W110) 08.59-02.68</b>				<b>Sedán (Compact executive car-D Segment)</b>			
200 (110.010) (M 121.940)	Gasolina	RWD	1988	61	83	07.65-02.68	*
200 (M 115.926)	Gasolina	RWD	1988	70	95	07.65-02.68	*
230 (110.011) (M 180.945)	Gasolina	RWD	2281	77	105	07.65-02.68	*
230 (110.011) (M 180.949)	Gasolina	RWD	2281	77	105	07.65-02.68	*
230 (M 180.950)	Gasolina	RWD	2281	88	120	06.66-12.67	*
200 D (110.110) (OM 621.918)	Diesel	RWD	1971	40	55	07.65-02.68	*
<b>HECKFLOSSE (W111, W112) 08.59-01.68</b>				<b>Sedán (Luxury car-F Segment)</b>			
230 S (111.010) (M 180.947)	Gasolina	RWD	2281	88	120	07.65-01.68	*

# LISTA DE APLICACIONES - BUYERS GUIDE

230 S (111.010) (M 180.950)	Gasolina	RWD	2281	88	120	07.65-01.68	*
300 SE (112.014, 112.015) (M 189.984)	Gasolina	RWD	2996	118	160	02.61-02.64	*
300 SE (112.014, 112.015) (M 189.986)	Gasolina	RWD	2996	118	160	02.61-02.64	*
300 SE (112.021, 112.023) (M 189.985)	Gasolina	RWD	2996	125	170	02.64-07.65	*
300 SE (112.021, 112.023) (M 189.987)	Gasolina	RWD	2996	125	170	02.64-07.65	*
<b>PAGODE (W113) 01.63-12.71</b>				<b>Cabrío (Luxury car-F Segment)</b>			
230 SL (113.042) (M 127.981)	Gasolina	RWD	2306	110	150	01.63-01.67	*
250 SL (113.043) (M 129.982)	Gasolina	RWD	2496	110	150	01.66-01.68	*
280 SL (113.044) (M 130.983)	Gasolina	RWD	2780	125	170	01.68-03.71	*
<b>S-Class (W108, W109) 01.66-08.72</b>				<b>Sedán (Luxury car-F Segment)</b>			
250 S (108.012) (M 108.920)	Gasolina	RWD	2496	96	130	01.66-12.69	*
250 SE (108.014) (M 129.980)	Gasolina	RWD	2496	110	150	01.66-12.67	*
280 S (116.020) (M 110.922)	Gasolina	RWD	2746	115	156	08.72-07.80	*
280 S (116.020) (M 110.922)	Gasolina	RWD	2746	118	160	08.72-07.80	*
280 SE, SEL (116.024, 116.025) (M 110.985)	Gasolina	RWD	2746	130	177	08.72-07.80	*
280 SE, SEL (116.024, 116.025) (M 110.983)	Gasolina	RWD	2746	136	185	08.72-07.80	*
280 SE, SEL (116.024, 116.025) (M 110.985)	Gasolina	RWD	2746	136	185	08.72-07.80	*
280 SE, SEL (108.018, 108.019) (M 130.980)	Gasolina	RWD	2778	118	160	01.68-08.72	*
300 SEL (109.016) (M 130.981)	Gasolina	RWD	2778	118	160	01.68-08.72	*
280 S (108.016) (M 130.920)	Gasolina	RWD	2780	103	140	10.67-07.72	*
350 SE, SEL (116.028, 116.029) (M 116.985)	Gasolina	RWD	3499	143	194	03.76-03.80	*
280 SE, SEL 3.5 (108.057, 108.058) (M 116.980)	Gasolina	RWD	3499	147	200	03.71-08.72	*
300 SEL 3.5 (109.056) (M 116.981)	Gasolina	RWD	3499	147	200	01.70-07.72	*
350 SE, SEL (116.028, 116.029) (M 116.983)	Gasolina	RWD	3499	147	200	08.72-02.76	*
350 SE, SEL (116.028, 116.029) (M 116.985)	Gasolina	RWD	3499	151	205	03.76-03.80	*
450 SE (M 117.983)	Gasolina	RWD	4520	143	194	08.72-12.76	*
450 SE,SEL (116.033) (M 117.983)	Gasolina	RWD	4520	160	218	12.75-04.80	*
450 SE,SEL (116.033) (M 117.986)	Gasolina	RWD	4520	160	218	12.75-04.80	*
450 SE, SEL (116.032) (M 117.983)	Gasolina	RWD	4520	165	224	01.73-04.80	*
450 SE, SEL (116.032) (M 117.986)	Gasolina	RWD	4520	165	224	01.73-04.80	*
300 SEL 6.3 (109.018) (M 100.981)	Gasolina	RWD	6332	184	250	03.68-08.72	*
450 SEL 6.9 (116.036) (M 100.985)	Gasolina	RWD	6834	210	286	07.75-03.80	*
<b>S-Class II (C126) 08.80-06.91</b>				<b>Coupé (Luxury car-F Segment)</b>			
380 SEC (126.043) (M 116.963)	Gasolina	RWD	3839	150	204	10.81-07.85	*
420 SEC (126.046) (M 116.965)	Gasolina	RWD	4196	150	204	10.85-06.91	*
420 SEC (126.046) (M 116.965)	Gasolina	RWD	4196	160	218	10.85-12.87	*
420 SEC (126.046) (M 116.965)	Gasolina	RWD	4196	165	224	10.85-06.91	*
420 SEC (126.046) (M 116.965)	Gasolina	RWD	4196	170	231	09.86-06.91	*
500 SEC (126.044) (M 117.965)	Gasolina	RWD	4973	164	223	10.85-06.91	*
500 SEC (126.044) (M 117.963)	Gasolina	RWD	4973	170	231	10.81-08.85	*
500 SEC (126.044) (M 117.965)	Gasolina	RWD	4973	180	245	09.85-06.91	*
500 SEC (126.044) (M 117.965)	Gasolina	RWD	4973	185	252	08.87-06.91	*
500 SEC Cat (M 117.965)	Gasolina	RWD	4973	185	252	06.89-06.91	*
500 SEC (126.044) (M 117.965)	Gasolina	RWD	4973	195	265	09.85-06.91	*
560 SEC (126.045) (M 117.968)	Gasolina	RWD	5547	178	242	10.85-06.91	*
560 SEC (126.045) (M 117.968)	Gasolina	RWD	5547	200	272	10.85-12.87	*
560 SEC (126.045) (M 117.968)	Gasolina	RWD	5547	205	279	10.85-06.91	*
560 SEC (126.045) (M 117.968)	Gasolina	RWD	5547	220	300	10.85-12.89	*
<b>S-Class II (W126) 10.79-06.91</b>				<b>Sedán (Luxury car-F Segment)</b>			
280 S (126.021) (M 110.924)	Gasolina	RWD	2746	115	156	12.79-07.85	*

# LISTA DE APLICACIONES - BUYERS GUIDE

280 S (126.021) (M 110.926)	Gasolina	RWD	2746	115	156	12.79-07.85	*
280 SE, SEL (126.022, 126.023) (M 110.987)	Gasolina	RWD	2746	136	185	10.79-07.85	*
280 SE, SEL (126.022, 126.023) (M 110.989)	Gasolina	RWD	2746	136	185	10.79-07.85	*
380 SE,SEL (126.032) (M 116.963)	Gasolina	RWD	3839	150	204	10.81-08.85	*
500 SE, SEL (126.036) (M 117.961)	Gasolina	RWD	4973	170	231	12.79-08.85	*
500 SE, SEL (126.036) (M 117.963)	Gasolina	RWD	4973	170	231	12.79-08.85	*
500 SE, SEL (126.036) (M 117.961)	Gasolina	RWD	4973	177	241	12.79-08.85	*
500 SE, SEL (126.036) (M 117.963)	Gasolina	RWD	4973	177	241	12.79-08.85	*
<b>SL-Class III (R107) 05.71-12.89</b>				<b>Cabrio (Executive car-E Segment)</b>			
280 SL (107.042) (M 110.982)	Gasolina	RWD	2746	130	177	06.76-09.81	*
280 SL (107.042) (M 110.986)	Gasolina	RWD	2746	130	177	06.76-09.81	*
280 SL (107.042) (M 110.990)	Gasolina	RWD	2746	130	177	06.76-09.81	*
280 SL (107.042) (M 110.982)	Gasolina	RWD	2746	136	185	08.74-07.85	*
280 SL (107.042) (M 110.986)	Gasolina	RWD	2746	136	185	08.74-07.85	*
280 SL (107.042) (M 110.990)	Gasolina	RWD	2746	136	185	08.74-07.85	*
350 SL (107.043) (M 116.982)	Gasolina	RWD	3499	143	195	05.71-02.80	*
350 SL (107.043) (M 116.984)	Gasolina	RWD	3499	143	195	05.71-02.80	*
380 SL (107.045) (M 116.960)	Gasolina	RWD	3818	160	218	09.80-08.81	*
380 SL (107.045) (M 116.962)	Gasolina	RWD	3839	150	204	09.80-08.85	*
4.2 420 SL	Gasolina	FWD	4195	150	204	05.71-	*
4.2 420 SL	Gasolina	FWD	4195	160	218	05.71-	*
450 SL (107.044)	Gasolina	FWD	4520	134	182	09.74-12.79	*
450 SL (107.044) (M 117.982)	Gasolina	RWD	4520	160	218	09.75-10.80	*
450 SL (107.044) (M 117.985)	Gasolina	RWD	4520	160	218	09.75-10.80	*
450 SL (107.044) (M 117.982)	Gasolina	RWD	4520	165	224	10.72-10.80	*
450 SL (107.044) (M 117.985)	Gasolina	RWD	4520	165	224	10.72-10.80	*
500 SL (107.046) (M 117.960)	Gasolina	RWD	4973	170	231	05.80-12.85	*
500 SL (107.046) (M 117.962)	Gasolina	RWD	4973	170	231	05.80-12.85	*
500 SL (107.046) (M 117.960)	Gasolina	RWD	4973	177	241	05.80-12.81	*
5.0 500 SL	Gasolina	FWD	4995	164	223	05.71-	*
5.0 500 SL	Gasolina	FWD	4995	180	245	05.71-	*
560 SL (107.048) (M 117.967)	Gasolina	RWD	5547	169	230	09.85-12.89	*
560 SL	Gasolina	RWD	5547	178	242	01.86-12.89	*
<b>SL-Class III (C107) 01.72-08.85</b>				<b>Coupé (Executive car-E Segment)</b>			
280 SLC (107.022) (M 110.982)	Gasolina	RWD	2746	130	177	06.76-09.81	*
280 SLC (107.022) (M 110.986)	Gasolina	RWD	2746	130	177	06.76-09.81	*
280 SLC (107.022) (M 110.990)	Gasolina	RWD	2746	130	177	06.76-09.81	*
280 SLC (107.022) (M 110.982)	Gasolina	RWD	2746	136	185	08.74-09.81	*
280 SLC (107.022) (M 110.986)	Gasolina	RWD	2746	136	185	08.74-09.81	*
280 SLC (107.022) (M 110.990)	Gasolina	RWD	2746	136	185	08.74-09.81	*
350 SLC (107.023) (M 116.982)	Gasolina	RWD	3499	143	195	03.76-02.80	*
350 SLC (107.023) (M 116.984)	Gasolina	RWD	3499	143	195	03.76-02.80	*
350 SLC (107.023) (M 116.982)	Gasolina	RWD	3499	147	200	01.72-02.76	*
350 SLC (107.023) (M 116.984)	Gasolina	RWD	3499	147	200	01.72-02.76	*
380 SLC (107.025) (M 116.960)	Gasolina	RWD	3818	160	218	07.80-08.81	*
450 SLC (107.024) (M 117.982)	Gasolina	RWD	4520	160	218	09.75-08.79	*
450 SLC (107.024) (M 117.985)	Gasolina	RWD	4520	160	218	09.75-08.79	*
450 SLC (107.024) (M 117.982)	Gasolina	RWD	4520	165	225	01.73-11.75	*
450 SLC (107.024) (M 117.985)	Gasolina	RWD	4520	165	225	01.73-11.75	*
450 SLC 5.0 (107.026) (M 117.960)	Gasolina	RWD	4973	177	241	06.78-02.80	*
<b>OPEL</b>							

# LISTA DE APLICACIONES - BUYERS GUIDE

ADMIRAL B 03.69-01.78					Sedán (Luxury car-F Segment)			
2.8 S (28 S)		Gasolina	RWD	2784	95	129	03.75-01.78	*
2.8 S (28 S)		Gasolina	RWD	2784	97	132	03.69-07.75	*
2.8 (28 H)		Gasolina	RWD	2784	103	140	03.75-07.76	*
2.8 (28 H)		Gasolina	RWD	2784	107	146	03.69-02.75	*
2.8 E (28 E)		Gasolina	RWD	2784	118	160	03.75-01.78	*
2.8 E (28 E)		Gasolina	RWD	2784	121	165	03.69-02.75	*
COMMODORE B 01.72-07.78					Coupé (Executive car-E Segment)			
2.5 (25 S)		Gasolina	RWD	2490	85	115	01.72-07.78	*
2.5 GS (25 H)		Gasolina	RWD	2490	96	130	01.72-08.75	*
2.8 GS (28 HC)		Gasolina	RWD	2784	103	140	03.75-07.78	*
2.8 GS (28 HC)		Gasolina	RWD	2784	104	141	12.72-07.78	*
2.8 GS/E (28 HC)		Gasolina	RWD	2784	114	155	03.75-07.78	*
2.8 GS/E (28 E)		Gasolina	RWD	2784	118	160	07.72-02.75	*
2.8 GS/E (28 EC)		Gasolina	RWD	2784	118	160	07.72-02.75	*
COMMODORE B 01.72-07.78					Sedán (Executive car-E Segment)			
2.5 (25 S)		Gasolina	RWD	2490	85	115	01.72-07.78	*
2.5 GS (25 H)		Gasolina	RWD	2490	96	130	01.72-08.75	*
2.8 GS (28 HC)		Gasolina	RWD	2784	103	140	03.75-07.78	*
2.8 GS (28 HC)		Gasolina	RWD	2784	104	141	01.72-07.78	*
2.8 GS/E (28 HC)		Gasolina	RWD	2784	114	155	03.75-07.78	*
2.8 GS/E (28 E)		Gasolina	RWD	2784	118	160	07.72-02.75	*
2.8 GS/E (28 EC)		Gasolina	RWD	2784	118	160	07.72-02.75	*
COMMODORE C (61) 12.80-12.82					[CAMBIADO]-Break (Executive car-E Segment)			
2.5 S (25 S)		Gasolina	RWD	2490	85	115	12.80-12.82	*
2.5 E (25 E)		Gasolina	RWD	2490	96	130	12.80-12.82	*
COMMODORE C (14_, 19_) 08.78-12.82					Sedán (Executive car-E Segment)			
2.5 S (25 S)		Gasolina	RWD	2490	85	115	08.78-12.82	*
2.5 E (25 E)		Gasolina	RWD	2490	96	130	05.81-12.82	*
DIPLOMAT B 03.69-08.78					Sedán (Luxury car-F Segment)			
2.8 (28 HC)		Gasolina	RWD	2784	103	140	09.72-08.78	*
2.8 E (28 E)		Gasolina	RWD	2784	121	165	03.69-02.75	*
5.4 (54 S)		Gasolina	RWD	5354	169	230	03.69-01.78	*
KAPITÄN IV 05.55-12.58					Sedán (Luxury car-F Segment)			
2.5		Gasolina	RWD	2473	55	75	05.55-12.58	*
KAPITÄN P 05.58-12.63					Sedán (Luxury car-F Segment)			
P 2.6 (26 N)		Gasolina	RWD	2605	66	90	05.58-12.63	*
MONZA (22_) 02.78-08.86					Coupé (Luxury car-F Segment)			
2.0 E (H 20 E)		Gasolina	RWD	1979	85	115	03.83-10.84	*
2.2 E (22 E)		Gasolina	RWD	2197	85	115	11.84-08.86	*
2.5 E (H 25 E)		Gasolina	RWD	2490	100	136	05.81-08.86	*
2.5 E (25 E)		Gasolina	RWD	2490	103	140	06.84-08.86	*
2.8 (28 H)		Gasolina	RWD	2784	103	140	02.78-04.81	*
3.0 (30 H)		Gasolina	RWD	2969	110	150	04.78-07.82	*
3.0 GSE (C 30 LE)		Gasolina	RWD	2969	115	156	09.85-08.86	*
3.0 GSE (30 E)		Gasolina	RWD	2969	132	180	02.78-08.86	*

# LISTA DE APLICACIONES - BUYERS GUIDE

SENATOR A (29_) 02.78-08.87					Sedán (Luxury car-F Segment)			
2.0 E (H 20 E)	Gasolina	RWD	1979	85	115	03.83-10.84	*	
2.2 E (22 E)	Gasolina	RWD	2197	85	115	11.84-08.87	*	
2.5 (25 S)	Gasolina	RWD	2490	85	115	05.78-12.80	*	
2.5 E (H 25 E)	Gasolina	RWD	2490	100	136	01.83-08.84	*	
2.5 E (25 E)	Gasolina	RWD	2490	103	140	09.84-08.87	*	
2.8 (28 H)	Gasolina	RWD	2784	103	140	02.78-04.81	*	
3.0 (30 H)	Gasolina	RWD	2969	110	150	04.78-07.82	*	
3.0 (C 30 LE)	Gasolina	RWD	2969	115	156	09.85-08.87	*	
3.0 E (30 E)	Gasolina	RWD	2969	132	180	02.78-12.86	*	
2.2 TD (23 TD)	Diesel	RWD	2260	63	86	11.84-08.87	*	
VAUXHALL								
ROYALE 02.78-08.86					Coupé (Luxury car-F Segment)			
2.8 (28 H)	Gasolina	RWD	2784	103	140	10.79-10.82	*	
3.0 (30 E)	Gasolina	RWD	2969	132	180	10.79-10.82	*	
ROYALE 02.78-08.87					Sedán (Luxury car-F Segment)			
2.8 (28 H)	Gasolina	RWD	2784	103	140	02.78-04.81	*	
2.2 TD	Diesel	RWD	2260	63	86	11.84-08.87	*	
VOLVO								
140 (145) 08.66-02.75					[CAMBIADO]:Break (Executive car-E Segment)			
1.8 S (B 18 A)	Gasolina	RWD	1779	55	75	08.66-07.68	*	
1.8 S (B 18 B)	Gasolina	RWD	1780	74	101	08.66-07.68	*	
2.0 S (B 20 A)	Gasolina	RWD	1986	60	82	08.68-07.74	*	
2.0 S (B 20 D)	Gasolina	RWD	1986	70	95	08.72-07.74	*	
2.0 S (B 20 B)	Gasolina	RWD	1986	73	100	08.72-07.73	*	
2.0 S (B 20 B)	Gasolina	RWD	1986	74	101	08.72-07.74	*	
2.0 S (B 20 E)	Gasolina	RWD	1986	91	124	08.72-07.73	*	
2.0 S	Gasolina	RWD	1998	85	116	09.73-02.75	*	
140 (142, 144) 08.66-08.75					Sedán (Executive car-E Segment)			
1.8 (B 18 A)	Gasolina	RWD	1779	55	75	08.66-07.68	*	
1.8 S (B 18 B)	Gasolina	RWD	1780	74	101	07.67-01.72	*	
2.0 (B 20 A)	Gasolina	RWD	1986	60	82	08.68-07.74	*	
2.0 (B 20 D)	Gasolina	RWD	1986	70	95	08.71-07.72	*	
2.0 S (B 20 B)	Gasolina	RWD	1986	74	101	11.68-09.72	*	
2.0 (B 20 E)	Gasolina	RWD	1986	91	124	09.70-04.75	*	
2.0 S	Gasolina	RWD	1998	85	116	09.72-08.75	*	
164 (164) 08.68-04.75					Sedán (Executive car-E Segment)			
2.9 E (B 30 A)	Gasolina	RWD	2978	96	131	08.68-07.73	*	
2.9 (B 30 E)	Gasolina	RWD	2978	118	160	08.72-07.74	*	
220 01.68-					Sedán (Executive car-E Segment)			
2.0 S	Gasolina	FWD	1995	59	80	01.68-	*	
2.0 S	Gasolina	FWD	1995	59	80	01.68-	*	
221 01.68-					Sedán (Executive car-E Segment)			
2.0	Gasolina	FWD	1995	59	80	01.68-	*	
2.0	Gasolina	FWD	1995	59	80	01.68-	*	
P 122 S AMAZON (120, 121) 05.59-05.71					[CAMBIADO]:Break (Sports car-S Segment)			
1.8 (B 18)	Gasolina	RWD	1779	59	80	08.61-07.67	*	

# LISTA DE APLICACIONES - BUYERS GUIDE

P 122 S AMAZON 05.59-05.71					Sedán (Sports car-S Segment)			
1.6 (B 16)	Gasolina	RWD	1583	61	83	05.59-09.66	*	
1.8 (B 18)	Gasolina	RWD	1779	59	80	05.59-07.67	*	
1.8 (B 18)	Gasolina	RWD	1779	63	86	09.66-05.71	*	
1.8 (B 18 D)	Gasolina	RWD	1779	66	90	02.67-05.71	*	
1.8 (B 18)	Gasolina	RWD	1779	76	103	09.66-05.71	*	
2.0 (B 20 B)	Gasolina	RWD	1986	74	101	11.68-05.71	*	