

# LISTA DE APLICACIONES - BUYERS GUIDE


## RB2265



Qty: 300

Weight: 3.740

O.E.M.	MAKE
34 10 6 883 510	BMW
34 10 6 888 459	BMW
34 10 8 064 560	BMW
34 10 8 064 562	BMW
34 10 8 094 045	BMW
34 11 6 874 431	BMW
34 11 6 874 432	BMW
34 11 6 888 460	BMW
34 11 6 889 585	BMW
34108064561	BMW
6874431	BMW
6874432	BMW
6883510	BMW
6888459	BMW
6888460	BMW
6889585	BMW
8064560	BMW
8064561	BMW



## RB2265



90R-02A0111/4545



Brembo

124.9x117.3x19.6

**WVA**

22392

22618

Sin Filas

**FMSI**

D1868-9098



Trac.

CC

Kw

CV



Front / Rear

### ALPINA

#### B3 VII (G20) 09.19-

**Sedán (Compact executive car-D Segment)**

BITURBO A las 4 ruedas

Gasolina

4WD

2993

340

462

09.19-

\*

#### B3 VII Touring (G21) 09.19-

**[CAMBIADO]:Break (Compact executive car-D Segment)**

BITURBO A las 4 ruedas

Gasolina

4WD

2993

340

462

09.19-

\*

#### B7 V (G12) 02.16-

**Sedán (Luxury car-F Segment)**

BITURBO A las 4 ruedas (N63 B44 C)

Gasolina

4WD

4395

447

608

02.16-

\*

BITURBO A las 4 ruedas (N63 M30 A)

Gasolina

4WD

4395

447

608

02.16-

\*

#### D3 III (G20) 05.20-

**Sedán (Compact executive car-D Segment)**

S (B57 D30 B)

Diesel/el  
éc.

4WD

2993

261

355

05.20-

\*

#### D3 III Touring (G21) 05.20-

**[CAMBIADO]:Break (Compact executive car-D Segment)**

S (B57 D30 B)

Diesel/el  
éc.

4WD

2993

261

355

05.20-

\*

#### XB7 (G07) 05.20-

**SUV (Luxury Crossover SUV-J Segment)**

BITURBO (N63 B44 D)

Gasolina

4WD

4395

457

621

05.20-

\*

### BMW

#### 2 Serie II (G42, G87) 08.21-

**Coupé (Compact car-C Segment)**

218i

Gasolina

RWD

1998

115

156

07.22-

\*

230 i xDrive (B48 B20 B)

Gasolina

4WD

1998

190

258

08.21-

\*

M240 i (B58 B30 C)

Gasolina

RWD

2998

245

333

08.22-

\*

M240 i

Gasolina

RWD

2998

275

374

07.22-

\*

M240 i xDrive

Gasolina

4WD

2998

275

374

08.21-

\*

# LISTA DE APLICACIONES - BUYERS GUIDE

M240 i (B58 B30 B)	Gasolina	RWD	2998	285	387	07.22-	*
M240 i xDrive (B58 B30 B)	Gasolina	4WD	2998	285	387	08.22-	*
<b>3 Serie VII (G20, G80, G28) 11.18-</b>				<b>Sedán (Compact executive car-D Segment)</b>			
320 i 1.6 (B48 B16 A)	Gasolina	RWD	1597	125	170	03.19-	*
318i (B48 B20 A)	Gasolina	RWD	1998	115	156	03.20-	*
320i (B48 B20 A)	Gasolina	RWD	1998	135	184	03.19-	*
320i (B48 B20 B)	Gasolina	RWD	1998	135	184	03.19-	*
320 i xDrive (B48 B20 A)	Gasolina	4WD	1998	135	184	07.19-	*
330i (B46 B20 B)	Gasolina	RWD	1998	190	258	11.18-	*
330i (B48 B20 B)	Gasolina	RWD	1998	190	258	11.18-	*
330 i xDrive (B46 B20 B)	Gasolina	4WD	1998	190	258	11.18-	*
330 i xDrive (B48 B20 B)	Gasolina	4WD	1998	190	258	11.18-	*
330 Li (B48 B20 B)	Gasolina	RWD	1998	190	255	02.21-	*
M 340 i xDrive (B58 B30 B)	Gasolina	4WD	2998	275	374	07.19-	*
M 340 i	Gasolina	RWD	2998	285	387	03.19-	*
M 340 i xDrive (B58 B30 B)	Gasolina	4WD	2998	285	387	03.19-	*
2.0 320i ActiveFlex (B42T20A)	Gasol./Etanol	RWD	1998	135	184	01.21-	*
320 e Plug-in-Hybrid (B48 B20 A)	Gasol./eléc.	RWD	1998	120	163	07.20-	*
320 e Plug-in-Hybrid (GC1)	Gasol./eléc.	RWD	1998	120	163	07.20-	*
330 e Plug-in-Hybrid (B46 B20 B)	Gasol./eléc.	RWD	1998	135	184	07.19-	*
330 e Plug-in-Hybrid (B48 B20 A)	Gasol./eléc.	RWD	1998	135	184	07.19-	*
330 e Plug-in-Hybrid (B48 B20 B)	Gasol./eléc.	RWD	1998	135	184	07.19-	*
330 e Plug-in-Hybrid (GC1)	Gasol./eléc.	RWD	1998	135	184	07.19-	*
330 e Plug-in-Hybrid xDrive (B46 B20 B)	Gasol./eléc.	4WD	1998	135	184	07.20-	*
330 e Plug-in-Hybrid xDrive (B48 B20 A)	Gasol./eléc.	4WD	1998	135	184	07.20-	*
330 e Plug-in-Hybrid xDrive (GC1)	Gasol./eléc.	4WD	1998	135	184	07.20-	*
320 e Plug-in-Hybrid (B48 B20 A)	Gasol./eléc.	RWD	1998	150	204	07.20-	*
320 e Plug-in-Hybrid (GC1)	Gasol./eléc.	RWD	1998	150	204	07.20-	*
330 e Plug-in-Hybrid (B46 B20 B)	Gasol./eléc.	RWD	1998	185	252	07.19-02.20	*
330 e Plug-in-Hybrid (B48 B20 A)	Gasol./eléc.	RWD	1998	185	252	07.19-02.20	*
330 e Plug-in-Hybrid (B48 B20 B)	Gasol./eléc.	RWD	1998	185	252	07.19-02.20	*
330 e Plug-in-Hybrid (GC1)	Gasol./eléc.	RWD	1998	185	252	07.19-02.20	*
330 e Plug-in-Hybrid (B46 B20 B)	Gasol./eléc.	RWD	1998	215	292	07.19-	*
330 e Plug-in-Hybrid (B48 B20 B)	Gasol./eléc.	RWD	1998	215	292	07.19-	*
330 e Plug-in-Hybrid (GC1)	Gasol./eléc.	RWD	1998	215	292	07.19-	*
330 e Plug-in-Hybrid xDrive (B46 B20 B)	Gasol./eléc.	4WD	1998	215	292	07.20-	*
330 e Plug-in-Hybrid xDrive (B48 B20 A)	Gasol./eléc.	4WD	1998	215	292	07.20-	*
330 e Plug-in-Hybrid xDrive (GC1)	Gasol./eléc.	4WD	1998	215	292	07.20-	*
M 340 i Mild-Hybrid xDrive (B58 B30 B)	Gasol./eléc.	4WD	2998	275	374	11.20-	*
M 340 i Mild-Hybrid xDrive (JA1)	Gasol./eléc.	4WD	2998	275	374	11.20-	*

# LISTA DE APLICACIONES - BUYERS GUIDE

316 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	85	116	11.20-	*
316 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	85	116	11.20-	*
316 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	90	122	08.20-	*
316 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	90	122	08.20-	*
318 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	100	136	04.20-	*
318 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	100	136	04.20-	*
318 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	110	150	04.20-	*
318 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	110	150	04.20-	*
320 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	120	163	03.20-	*
320 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	120	163	03.20-	*
320 d Mild-Hybrid xDrive (B47 D20 B)		Diesel/el éc.	4WD	1995	120	163	03.20-	*
320 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	1995	120	163	03.20-	*
320 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	140	190	03.20-	*
320 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	140	190	03.20-	*
320 d Mild-Hybrid xDrive (B47 D20 B)		Diesel/el éc.	4WD	1995	140	190	03.20-	*
320 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	1995	140	190	03.20-	*
330 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	RWD	2993	210	286	11.20-	*
330 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	2993	210	286	11.20-	*
330 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	11.20-	*
330 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	210	286	11.20-	*
M340 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	04.20-	*
M340 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	250	340	04.20-	*
316 d (B47 D20 B)		Diesel	RWD	1995	85	116	11.20-	*
316 d (B47 D20 B)		Diesel	RWD	1995	90	122	03.20-	*
318 d (B47 D20 B)		Diesel	RWD	1995	100	136	03.19-03.20	*
318 d (B47 D20 B)		Diesel	RWD	1995	110	150	03.19-03.20	*
320 d (B47 D20 B)		Diesel	RWD	1995	120	163	11.18-02.20	*
320 d xDrive (B47 D20 B)		Diesel	4WD	1995	120	163	11.18-02.20	*
320 d (B47 D20 B)		Diesel	RWD	1995	140	190	11.18-	*
320 d xDrive (B47 D20 B)		Diesel	4WD	1995	140	190	11.18-02.20	*
330 d (B57 D30 A)		Diesel	RWD	2993	195	265	03.19-	*
330 d xDrive (B57 D30 A)		Diesel	4WD	2993	195	265	07.19-	*
<b>3 Serie VII Touring (G21, G81) 07.19-</b>					<b>[CAMBIADO]:Break (Compact executive car-D Segment)</b>			
318i (B48 B20 A)		Gasolina	RWD	1998	115	156	03.20-	*
320i (B46 B20 B)		Gasolina	RWD	1998	135	184	11.19-	*
320i (B48 B20 A)		Gasolina	RWD	1998	135	184	11.19-	*
330i		Gasolina	RWD	1998	180	245	07.19-	*
330 i xDrive		Gasolina	4WD	1998	180	245	07.19-	*
330i (B48 B20 B)		Gasolina	RWD	1998	190	258	07.19-	*
330 i xDrive (B48 B20 B)		Gasolina	4WD	1998	190	258	07.19-	*
M 340 i xDrive (B58 B30 B)		Gasolina	4WD	2998	275	374	11.19-	*

# LISTA DE APLICACIONES - BUYERS GUIDE

M 340 i xDrive (B58 B30 B)		Gasolina	4WD	2998	285	387	11.19-	*
320 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	120	163	07.20-	*
320 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	120	163	07.20-	*
320 e Plug-in-Hybrid xDrive		Gasol./el éc.	4WD	1998	120	163	03.21-	*
330 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	135	184	07.20-	*
330 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	135	184	07.20-	*
330 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	135	184	07.20-	*
330 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	135	184	07.20-	*
320 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	150	204	07.20-	*
320 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	150	204	07.20-	*
320 e Plug-in-Hybrid xDrive		Gasol./el éc.	4WD	1998	150	204	03.21-	*
330 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	215	292	07.20-	*
330 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	215	292	07.20-	*
330 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	215	292	07.20-	*
330 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	215	292	07.20-	*
M 340 i Mild-Hybrid xDrive (B58 B30 B)		Gasol./el éc.	4WD	2998	275	374	11.20-	*
M 340 i Mild-Hybrid xDrive (JA1)		Gasol./el éc.	4WD	2998	275	374	11.20-	*
316 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	85	116	11.20-	*
316 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	85	116	11.20-	*
316 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	90	122	07.20-	*
316 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	90	122	07.20-	*
318 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	100	136	08.20-	*
318 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	100	136	08.20-	*
318 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	110	150	08.20-	*
318 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	110	150	08.20-	*
320 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	120	163	03.20-	*
320 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	120	163	03.20-	*
320 d Mild-Hybrid xDrive (B47 D20 B)		Diesel/el éc.	4WD	1995	120	163	03.20-	*
320 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	1995	120	163	03.20-	*
320 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	140	190	03.20-	*
320 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	140	190	03.20-	*
320 d Mild-Hybrid xDrive (B47 D20 B)		Diesel/el éc.	4WD	1995	140	190	03.20-	*
320 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	1995	140	190	03.20-	*
330 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	RWD	2993	210	286	11.20-	*
330 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	2993	210	286	11.20-	*
330 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	11.20-	*

# LISTA DE APLICACIONES - BUYERS GUIDE

330 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	210	286	11.20-	*
M340 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	04.20-	*
M340 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	250	340	04.20-	*
316 d (B47 D20 B)		Diesel	RWD	1995	85	116	11.20-	*
316 d (B47 D20 B)		Diesel	RWD	1995	90	122	11.20-	*
318 d (B47 D20 B)		Diesel	RWD	1995	100	136	11.19-07.20	*
318 d (B47 D20 B)		Diesel	RWD	1995	110	150	11.19-07.20	*
320 d (B47 D20 B)		Diesel	RWD	1995	120	163	07.19-02.20	*
320 d xDrive (B47 D20 B)		Diesel	4WD	1995	120	163	07.19-02.20	*
320 d (B47 D20 B)		Diesel	RWD	1995	140	190	07.19-02.20	*
320 d xDrive (B47 D20 B)		Diesel	4WD	1995	140	190	07.19-02.20	*
330 d (B57 D30 A)		Diesel	RWD	2993	195	265	11.19-	*
330 d xDrive (B57 D30 A)		Diesel	4WD	2993	195	265	07.19-	*
<b>3 Serie VII Touring Van (G21) 07.19-</b>					<b>[CAMBIADO]:Furgón/Break (Compact executive car-D Segment)</b>			
320i (B46 B20 B)		Gasolina	RWD	1998	135	184	11.19-	*
320i (B48 B20 A)		Gasolina	RWD	1998	135	184	11.19-	*
330i (B48 B20 B)		Gasolina	RWD	1998	190	258	07.19-	*
M 340 i xDrive (B58 B30 B)		Gasolina	4WD	2998	275	374	11.19-	*
320 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	140	190	03.20-	*
320 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	140	190	03.20-	*
320 d Mild-Hybrid xDrive (B47 D20 B)		Diesel/el éc.	4WD	1995	140	190	03.20-	*
320 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	1995	140	190	03.20-	*
318 d		Diesel	RWD	1995	110	150	11.19-06.22	*
320 d (B47 D20 B)		Diesel	RWD	1995	140	190	07.19-02.20	*
320 d xDrive (B47 D20 B)		Diesel	4WD	1995	140	190	07.19-02.20	*
330 d (B57 D30 A)		Diesel	RWD	2993	195	265	11.19-	*
330 d xDrive (B57 D30 A)		Diesel	4WD	2993	195	265	11.19-	*
<b>4 Serie II (G23, G83) 11.20-</b>					<b>Cabrió (Compact executive car-D Segment)</b>			
420 i (B48 B20 A)		Gasolina	RWD	1998	135	184	11.20-	*
430 i		Gasolina	RWD	1998	180	245	07.21-	*
430 i xDrive		Gasolina	4WD	1998	180	245	07.21-	*
430 i (B46 B20 B)		Gasolina	RWD	1998	190	258	11.20-	*
430 i (B48 B20 B)		Gasolina	RWD	1998	190	258	11.20-	*
430 i xDrive (B46 B20 B)		Gasolina	4WD	1998	190	258	07.21-	*
M440 i Mild-Hybrid		Gasol./el éc.	RWD	2998	275	374	07.21-	*
M440 i Mild-Hybrid xDrive (B58 B30 B)		Gasol./el éc.	4WD	2998	275	374	11.20-	*
M440 i Mild-Hybrid xDrive (JA1)		Gasol./el éc.	4WD	2998	275	374	11.20-	*
M 440 i Mild Hybrid (B58 B30 B,JA1)		Gasol./el éc.	RWD	2998	285	387	11.20-	*
M440 i Mild-Hybrid xDrive (B58 B30 B)		Gasol./el éc.	4WD	2998	285	387	11.20-	*
M440 i Mild-Hybrid xDrive (JA1)		Gasol./el éc.	4WD	2998	285	387	11.20-	*
420 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	120	163	11.20-	*
420 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	120	163	11.20-	*
420 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	140	190	11.20-	*

# LISTA DE APLICACIONES - BUYERS GUIDE

420 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	140	190	11.20-	*
430 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	RWD	2993	210	286	07.21-	*
430 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	2993	210	286	07.21-	*
M440 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	11.21-	*
M440 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	250	340	11.21-	*
<b>4 Serie II (G22, G82) 07.20-</b>					<b>Coupé (Compact executive car-D Segment)</b>			
420 i 1.6 (B48 B16 A)		Gasolina	RWD	1597	125	170	11.20-	*
420 i (B46 B20 B)		Gasolina	RWD	1998	135	184	07.20-	*
420 i (B48 B20 A)		Gasolina	RWD	1998	135	184	07.20-	*
420 i		Gasolina	RWD	1998	135	184	07.21-	*
420 i xDrive		Gasolina	4WD	1998	135	184	07.21-	*
430 i		Gasolina	RWD	1998	180	245	07.21-	*
430 i		Gasolina	RWD	1998	180	245	07.21-	*
430 i xDrive		Gasolina	4WD	1998	180	245	07.21-	*
430 i xDrive		Gasolina	4WD	1998	180	245	03.22-	*
430 i (B46 B20 B)		Gasolina	RWD	1998	190	258	07.20-	*
430 i (B48 B20 B)		Gasolina	RWD	1998	190	258	07.20-	*
430 i (B48 B20 B)		Gasolina	RWD	1998	190	258	07.21-	*
430 i xDrive (B46 B20 B)		Gasolina	4WD	1998	190	258	07.20-	*
430 i xDrive		Gasolina	4WD	1998	190	258	07.21-	*
M440 i Mild-Hybrid		Gasol./el éc.	RWD	2998	275	374	07.21-	*
M440 i Mild-Hybrid		Gasol./el éc.	RWD	2998	275	374	09.22-	*
M440 i Mild-Hybrid xDrive (B58 B30 B)		Gasol./el éc.	4WD	2998	275	374	11.20-	*
M440 i Mild-Hybrid xDrive		Gasol./el éc.	4WD	2998	275	374	07.21-	*
M440 i Mild-Hybrid (B58 B30 B, JA1)		Gasol./el éc.	RWD	2998	285	387	11.20-	*
M440 i Mild-Hybrid xDrive (B58 B30 B)		Gasol./el éc.	4WD	2998	285	387	07.20-	*
M440 i Mild-Hybrid xDrive (JA1)		Gasol./el éc.	4WD	2998	285	387	07.20-	*
M440 i Mild-Hybrid xDrive (B58 B30 B)		Gasol./el éc.	4WD	2998	285	387	07.21-	*
420 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	120	163	07.20-	*
420 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	120	163	07.20-	*
420 d Mild-Hybrid xDrive (B47 D20 B)		Diesel/el éc.	4WD	1995	120	163	07.20-	*
420 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	1995	120	163	07.20-	*
420 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	140	190	07.20-	*
420 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	140	190	07.20-	*
420 d Mild-Hybrid		Diesel/el éc.	RWD	1995	140	190	07.21-	*
420 d Mild-Hybrid xDrive (B47 D20 B)		Diesel/el éc.	4WD	1995	140	190	07.20-	*
420 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	1995	140	190	07.20-	*
420 d Mild-Hybrid xDrive		Diesel/el éc.	4WD	1995	140	190	07.21-	*
430 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	03.21-	*
430 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	210	286	03.21-	*

# LISTA DE APLICACIONES - BUYERS GUIDE

430 d Mild-Hybrid xDrive		Diesel/el éc.	4WD	2993	210	286	05.22-	*
M440 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	03.21-	*
M440 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	250	340	03.21-	*
<b>5 Serie VII (G30, F90) 09.16-</b>					<b>Sedán (Executive car-E Segment)</b>			
520 i (B48 B16 A)		Gasolina	RWD	1597	125	170	07.17-06.23	*
520 i (B48 B20 A)		Gasolina	RWD	1998	120	163	07.17-06.20	*
520 i (B48 B20 B)		Gasolina	RWD	1998	120	163	07.17-06.20	*
520 i (B48 B20 A)		Gasolina	RWD	1998	135	184	07.17-	*
520 i (B48 B20 B)		Gasolina	RWD	1998	135	184	07.17-	*
520 i (B48 B20 A)		Gasolina	RWD	1998	155	211	07.17-06.20	*
520 i (B48 B20 B)		Gasolina	RWD	1998	155	211	07.17-06.20	*
530i		Gasolina	RWD	1998	180	245	05.22-06.23	*
530 i xDrive		Gasolina	4WD	1998	180	245	05.22-06.23	*
530 i xDrive (B48 B20 B)		Gasolina	4WD	1998	183	249	09.16-06.23	*
530i (B46 B20 B)		Gasolina	RWD	1998	185	252	09.16-06.20	*
530i (B48 B20 B)		Gasolina	RWD	1998	185	252	09.16-06.20	*
530 i xDrive (B46 B20 B)		Gasolina	4WD	1998	185	252	09.16-06.20	*
530 i xDrive (B48 B20 B)		Gasolina	4WD	1998	185	252	09.16-06.20	*
540 i (B58 B30 A)		Gasolina	RWD	2998	250	340	09.16-06.20	*
540 i (B58 B30 C)		Gasolina	RWD	2998	250	340	09.16-06.20	*
540 i xDrive (B58 B30 A)		Gasolina	4WD	2998	250	340	09.16-06.20	*
540 i (B58 B30 A)		Gasolina	RWD	2998	265	360	09.16-06.20	*
540 i xDrive (B58 B30 A)		Gasolina	4WD	2998	265	360	09.16-06.20	*
M 550 i xDrive (N63 B44 C)		Gasolina	4WD	4395	340	462	03.17-06.19	*
M 550 i xDrive (N63 B44 D)		Gasolina	4WD	4395	390	530	07.19-06.23	*
520 E PLUG-IN-HYBRID		Gasol./el éc.	RWD	1998	120	163	03.21-	*
520 i Mild-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	120	163	07.20-06.23	*
520 i Mild-Hybrid (JA1)		Gasol./el éc.	RWD	1998	120	163	07.20-06.23	*
530 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	120	163	07.19-	*
530 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	120	163	07.19-	*
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	120	163	07.19-	*
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	120	163	07.19-	*
520 i Mild-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	135	184	07.20-06.23	*
520 i Mild-Hybrid (JA1)		Gasol./el éc.	RWD	1998	135	184	07.20-06.23	*
530 e Plug-in-Hybrid (B46 B20 B)		Gasol./el éc.	RWD	1998	135	184	03.17-	*
530 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	135	184	03.17-	*
530 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	135	184	03.17-	*
530 e Plug-in-Hybrid xDrive (B46 B20 B)		Gasol./el éc.	4WD	1998	135	184	03.17-	*
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	135	184	03.17-	*
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	135	184	03.17-	*
520 E PLUG-IN-HYBRID		Gasol./el éc.	RWD	1998	150	204	03.21-05.22	*
530 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	170	231	07.19-06.20	*

# LISTA DE APLICACIONES - BUYERS GUIDE

530 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	170	231	07.19-06.20	*
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	170	231	07.19-06.23	*
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	170	231	07.19-06.23	*
530e Plug-in Hybrid (B46 B20 B)		Gasol./el éc.	RWD	1998	185	252	03.17-06.20	*
530e Plug-in Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	185	252	03.17-06.20	*
530e Plug-in Hybrid (GC1)		Gasol./el éc.	RWD	1998	185	252	03.17-06.20	*
530 e Plug-in-Hybrid xDrive (B46 B20 B)		Gasol./el éc.	4WD	1998	185	252	03.17-06.23	*
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	185	252	03.17-06.23	*
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	185	252	03.17-06.23	*
530 i Mild-Hybrid (B48 B20 B)		Gasol./el éc.	RWD	1998	185	252	07.20-06.23	*
530 i Mild-Hybrid (JA1)		Gasol./el éc.	RWD	1998	185	252	07.20-06.23	*
530 i Mild-Hybrid xDrive (B48 B20 B)		Gasol./el éc.	4WD	1998	185	252	07.20-06.23	*
530 i Mild-Hybrid xDrive (JA1)		Gasol./el éc.	4WD	1998	185	252	07.20-06.23	*
530 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	200	272	07.20-06.23	*
530 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	200	272	07.20-06.23	*
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	200	272	07.20-06.23	*
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	200	272	07.20-06.23	*
530 e Plug-in-Hybrid (B46 B20 B)		Gasol./el éc.	RWD	1998	215	292	07.20-06.23	*
530 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	215	292	07.20-06.23	*
530 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	215	292	07.20-06.23	*
530 e Plug-in-Hybrid xDrive (B46 B20 B)		Gasol./el éc.	4WD	1998	215	292	07.20-06.23	*
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	215	292	07.20-06.23	*
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	215	292	07.20-06.23	*
545 e Plug-in-Hybrid xDrive (B58 B30 C)		Gasol./el éc.	4WD	2998	210	286	11.20-	*
545 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	2998	210	286	11.20-	*
540 i Mild-Hybrid (B58 B30 C)		Gasol./el éc.	RWD	2998	245	333	07.20-05.23	*
540 i Mild-Hybrid (JA1)		Gasol./el éc.	RWD	2998	245	333	07.20-05.23	*
540 i Mild-Hybrid xDrive (B58 B30 C)		Gasol./el éc.	4WD	2998	245	333	07.20-06.23	*
540 i Mild-Hybrid xDrive (JA1)		Gasol./el éc.	4WD	2998	245	333	07.20-06.23	*
545 e Plug-in-Hybrid xDrive (B58 B30 C)		Gasol./el éc.	4WD	2998	290	394	11.20-06.23	*
545 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	2998	290	394	11.20-06.23	*
518 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	100	136	07.20-06.23	*
518 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	100	136	07.20-06.23	*
518 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	110	150	07.20-06.23	*
518 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	110	150	07.20-06.23	*



# LISTA DE APLICACIONES - BUYERS GUIDE

520 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	120	163	11.19-06.23	*
520 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	120	163	11.19-06.23	*
520 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	140	190	11.19-06.23	*
520 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	140	190	11.19-06.23	*
520 d Mild-Hybrid xDrive (B47 D20 B)		Diesel/el éc.	4WD	1995	140	190	11.19-06.23	*
520 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	1995	140	190	11.19-06.23	*
530 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	RWD	2993	183	249	07.20-06.23	*
530 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	2993	183	249	07.20-06.23	*
530 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	183	249	07.20-06.23	*
530 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	183	249	07.20-06.23	*
530 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	RWD	2993	210	286	07.20-06.23	*
530 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	2993	210	286	07.20-06.23	*
530 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	07.20-06.23	*
530 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	210	286	07.20-06.23	*
540 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	07.20-06.23	*
540 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	250	340	07.20-06.23	*
518 d (B47 D20 B)		Diesel	RWD	1995	100	136	07.18-06.20	*
518 d (B47 D20 B)		Diesel	RWD	1995	110	150	07.18-06.20	*
520 d (B47 D20 A)		Diesel	RWD	1995	120	163	09.16-06.23	*
520 d xDrive (B47 D20 A)		Diesel	4WD	1995	120	163	09.16-06.23	*
520 d (B47 D20 A)		Diesel	RWD	1995	140	190	09.16-06.23	*
520 d (B47 D20 B)		Diesel	RWD	1995	140	190	09.16-06.23	*
520 d xDrive (B47 D20 A)		Diesel	4WD	1995	140	190	09.16-06.23	*
525 d (B47 D20 B)		Diesel	RWD	1995	155	211	07.17-06.19	*
525 d (B47 D20 B)		Diesel	RWD	1995	170	231	07.17-06.19	*
530 d xDrive (B57 D30 A)		Diesel	4WD	2993	183	249	09.16-06.20	*
530 d (B57 D30 A)		Diesel	RWD	2993	195	265	09.16-06.20	*
530 d xDrive (B57 D30 A)		Diesel	4WD	2993	195	265	09.16-06.20	*
540 d xDrive (B57 D30 A)		Diesel	4WD	2993	235	320	07.17-06.20	*
540 d xDrive (B57 D30 B)		Diesel	4WD	2993	235	320	07.17-06.20	*
540 d xDrive (G4NA)		Diesel	4WD	2993	235	320	07.17-06.20	*
M 550 d xDrive (B57 D30 C)		Diesel	4WD	2993	294	400	06.17-06.20	*
<b>5 Serie VII Touring (G31) 03.17-</b>					<b>[CAMBIADO]:Break (Executive car-E Segment)</b>			
520 i (B48 B20 A)		Gasolina	RWD	1998	120	163	07.17-06.20	*
520 i (B48 B20 A)		Gasolina	RWD	1998	135	184	07.17-06.20	*
520 i (B48 B20 A)		Gasolina	RWD	1998	155	211	07.17-06.20	*
530i		Gasolina	RWD	1998	180	245	05.22-	*
530 i xDrive		Gasolina	4WD	1998	180	245	05.22-	*
530i (B48 B20 B)		Gasolina	RWD	1998	185	252	03.17-06.20	*
530 i xDrive (B48 B20 B)		Gasolina	4WD	1998	185	252	07.17-06.20	*
540 i xDrive (B58 B30 A)		Gasolina	4WD	2998	250	340	03.17-06.20	*
540 i xDrive (B58 B30 A)		Gasolina	4WD	2998	265	360	03.17-06.20	*
520 E PLUG-IN-HYBRID		Gasol./el éc.	RWD	1998	120	163	03.21-	*

# LISTA DE APLICACIONES - BUYERS GUIDE

520 i Mild-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	120	163	07.20-	*
520 i Mild-Hybrid (JA1)		Gasol./el éc.	RWD	1998	120	163	07.20-	*
530 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	120	163	11.20-	*
530 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	120	163	11.20-	*
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	120	163	11.20-	*
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	120	163	11.20-	*
520 i Mild-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	135	184	07.20-	*
520 i Mild-Hybrid (JA1)		Gasol./el éc.	RWD	1998	135	184	07.20-	*
530 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	135	184	11.20-	*
530 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	135	184	11.20-	*
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	135	184	11.20-	*
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	135	184	11.20-	*
520 E PLUG-IN-HYBRID		Gasol./el éc.	RWD	1998	150	204	03.21-05.22	*
530 i Mild-Hybrid (B48 B20 B)		Gasol./el éc.	RWD	1998	180	245	07.22-	*
530 i Mild-Hybrid xDrive (B48 B20 B)		Gasol./el éc.	4WD	1998	180	245	07.22-	*
530 i Mild-Hybrid (B48 B20 B)		Gasol./el éc.	RWD	1998	185	252	07.20-	*
530 i Mild-Hybrid (JA1)		Gasol./el éc.	RWD	1998	185	252	07.20-	*
530 i Mild-Hybrid xDrive (B48 B20 B)		Gasol./el éc.	4WD	1998	185	252	07.20-	*
530 i Mild-Hybrid xDrive (JA1)		Gasol./el éc.	4WD	1998	185	252	07.20-	*
530 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	200	272	11.20-	*
530 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	200	272	11.20-	*
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	200	272	11.20-	*
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	200	272	11.20-	*
530 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	215	292	11.20-	*
530 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	215	292	11.20-	*
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	215	292	11.20-	*
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	215	292	11.20-	*
540 i Mild-Hybrid xDrive (B58 B30 C)		Gasol./el éc.	4WD	2998	245	333	07.20-	*
540 i Mild-Hybrid xDrive (JA1)		Gasol./el éc.	4WD	2998	245	333	07.20-	*
518 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	100	136	07.20-	*
518 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	100	136	07.20-	*
518 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	110	150	07.20-	*
518 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	110	150	07.20-	*
520 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	120	163	11.19-	*
520 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	120	163	11.19-	*

# LISTA DE APLICACIONES - BUYERS GUIDE

520 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	140	190	11.19-	*
520 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	140	190	11.19-	*
520 d Mild-Hybrid xDrive (B47 D20 B)		Diesel/el éc.	4WD	1995	140	190	11.19-	*
520 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	1995	140	190	11.19-	*
530 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	RWD	2993	183	249	07.20-	*
530 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	2993	183	249	07.20-	*
530 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	183	249	07.20-	*
530 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	183	249	07.20-	*
530 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	RWD	2993	210	286	07.20-	*
530 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	2993	210	286	07.20-	*
530 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	07.20-	*
530 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	210	286	07.20-	*
540 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	07.20-	*
540 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	250	340	07.20-	*
518 d (B47 D20 B)		Diesel	RWD	1995	100	136	07.18-06.20	*
518 d (B47 D20 B)		Diesel	RWD	1995	110	150	07.18-06.20	*
520 d (B47 D20 A)		Diesel	RWD	1995	120	163	03.17-	*
520 d (B47 D20 B)		Diesel	RWD	1995	120	163	03.17-	*
520 d xDrive (B47 D20 A)		Diesel	4WD	1995	120	163	07.17-	*
520 d xDrive (B47 D20 B)		Diesel	4WD	1995	120	163	07.17-	*
520 d (B47 D20 A)		Diesel	RWD	1995	140	190	03.17-	*
520 d (B47 D20 B)		Diesel	RWD	1995	140	190	03.17-	*
520 d xDrive (B47 D20 A)		Diesel	4WD	1995	140	190	07.17-	*
520 d xDrive (B47 D20 B)		Diesel	4WD	1995	140	190	07.17-	*
525 d (B47 D20 B)		Diesel	RWD	1995	155	211	07.17-06.19	*
525 d (B47 D20 B)		Diesel	RWD	1995	170	231	07.17-06.19	*
530 d (B57 D30 A)		Diesel	RWD	2993	195	265	03.17-06.20	*
530 d xDrive (B57 D30 A)		Diesel	4WD	2993	195	265	03.17-06.20	*
540 d xDrive (B57 D30 B)		Diesel	4WD	2993	235	320	07.17-06.20	*
M 550 d xDrive (B57 D30 C)		Diesel	4WD	2993	294	400	07.17-	*
<b>5 Serie VII Touring Van (G31) 03.17-</b>					<b>[CAMBIADO]:Furgón/Break (Executive car-E Segment)</b>			
520 i (B48 B20 A)		Gasolina	RWD	1998	135	184	07.17-	*
530i (B48 B20 B)		Gasolina	RWD	1998	185	252	03.17-	*
530 i xDrive (B48 B20 B)		Gasolina	4WD	1998	185	252	07.17-	*
540 i xDrive (B58 B30 A)		Gasolina	4WD	2998	250	340	03.17-	*
520 d (B47 D20 A)		Diesel	RWD	1995	140	190	03.17-11.19	*
520 d (B47 D20 B)		Diesel	RWD	1995	140	190	03.17-11.19	*
520 d xDrive (B47 D20 A)		Diesel	4WD	1995	140	190	07.17-11.19	*
520 d xDrive (B47 D20 B)		Diesel	4WD	1995	140	190	07.17-11.19	*
530 d (B57 D30 A)		Diesel	RWD	2993	195	265	03.17-	*
530 d xDrive (B57 D30 A)		Diesel	4WD	2993	195	265	03.17-	*
540 d xDrive (B57 D30 B)		Diesel	4WD	2993	235	320	07.17-	*
<b>6 Serie IV GRAN TURISMO (G32) 06.17-</b>					<b>[CAMBIADO]:Fastback (Grand Tourer-S Segment)</b>			
630 i (B48 B20 B)		Gasolina	RWD	1998	180	245	08.22-	*

# LISTA DE APLICACIONES - BUYERS GUIDE

630 i (B48 B20 B)		Gasolina	RWD	1998	183	249	06.17-06.20	*
630 i (B48 B20 B)		Gasolina	RWD	1998	190	258	07.17-06.20	*
630 i xDrive (B58 B30 C)		Gasolina	4WD	2998	190	258	07.19-	*
640 i (B58 B30 A)		Gasolina	RWD	2998	250	340	06.17-06.20	*
640 i (B58 B30 C)		Gasolina	RWD	2998	250	340	06.17-06.20	*
640 i xDrive (B58 B30 A)		Gasolina	4WD	2998	250	340	06.17-06.20	*
640 i xDrive (B58 B30 C)		Gasolina	4WD	2998	250	340	06.17-06.20	*
640 i (B58 B30 A)		Gasolina	RWD	2998	265	360	06.17-06.20	*
640 i (B58 B30 C)		Gasolina	RWD	2998	265	360	06.17-06.20	*
640 i xDrive (B58 B30 A)		Gasolina	4WD	2998	265	360	06.17-06.20	*
640 i xDrive (B58 B30 C)		Gasolina	4WD	2998	265	360	06.17-06.20	*
630 i Mild-Hybrid		Gasol./el éc.	RWD	1998	180	245	07.20-	*
630 i Mild-Hybrid (B48 B20 B)		Gasol./el éc.	RWD	1998	190	258	07.20-	*
630 i Mild-Hybrid (JA1)		Gasol./el éc.	RWD	1998	190	258	07.20-	*
640 i Mild-Hybrid (B58 B30 C)		Gasol./el éc.	RWD	2998	245	333	07.20-	*
640 i Mild-Hybrid (JA1)		Gasol./el éc.	RWD	2998	245	333	07.20-	*
640 i Mild-Hybrid xDrive (B58 B30 C)		Gasol./el éc.	4WD	2998	245	333	07.20-	*
640 i Mild-Hybrid xDrive (JA1)		Gasol./el éc.	4WD	2998	245	333	07.20-	*
620 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	120	163	07.20-	*
620 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	120	163	07.20-	*
620 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	140	190	07.20-	*
620 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	140	190	07.20-	*
620 d Mild-Hybrid xDrive (B47 D20 B)		Diesel/el éc.	4WD	1995	140	190	07.20-	*
620 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	1995	140	190	07.20-	*
630 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	RWD	2993	155	211	07.20-	*
630 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	2993	155	211	07.20-	*
630 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	RWD	2993	210	286	07.20-	*
630 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	2993	210	286	07.20-	*
630 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	07.20-	*
630 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	210	286	07.20-	*
640 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	07.20-	*
640 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	250	340	07.20-	*
620 d (B47 D20 B)		Diesel	RWD	1995	120	163	07.18-06.20	*
620 d xDrive (B47 D20 B)		Diesel	4WD	1995	120	163	07.18-06.20	*
620 d (B47 D20 B)		Diesel	RWD	1995	140	190	07.18-06.20	*
620 d xDrive (B47 D20 B)		Diesel	4WD	1995	140	190	07.18-06.20	*
630 d (B57 D30 A)		Diesel	RWD	2993	155	211	06.17-06.20	*
630 d xDrive (B57 D30 A)		Diesel	4WD	2993	155	211	06.17-06.20	*
630 d xDrive (B57 D30 A)		Diesel	4WD	2993	183	249	06.17-06.20	*
630 d (B57 D30 A)		Diesel	RWD	2993	195	265	06.17-06.20	*
630 d xDrive (B57 D30 A)		Diesel	4WD	2993	195	265	06.17-06.20	*
640 d xDrive (B57 D30 B)		Diesel	4WD	2993	235	320	11.17-06.20	*

# LISTA DE APLICACIONES - BUYERS GUIDE

7 Serie VI (G11, G12) 07.15-					Sedán (Luxury car-F Segment)			
730 i (B48 B20 B)	Gasolina	RWD	1998	183	249	11.15-06.22	*	
730 i, Li (B48 B20 B)	Gasolina	RWD	1998	190	258	11.15-02.19	*	
730 i, Li (B48 B20 B)	Gasolina	RWD	1998	195	265	03.19-06.22	*	
740 i,Li (B58 B30 A)	Gasolina	RWD	2998	240	326	07.15-02.19	*	
740 Li xDrive (B58 B30 A)	Gasolina	4WD	2998	240	326	03.16-02.19	*	
740 i,Li	Gasolina	RWD	2998	245	333	03.19-06.22	*	
740 Li xDrive	Gasolina	4WD	2998	245	333	03.19-06.22	*	
740 i,Li (B58 B30 C)	Gasolina	RWD	2998	250	340	03.19-06.22	*	
740 Li xDrive (B58 B30 C)	Gasolina	4WD	2998	250	340	03.19-06.22	*	
750 Li xDrive (N63 B40 B)	Gasolina	4WD	3982	330	449	03.16-02.19	*	
750 i, Li (N63 B44 C)	Gasolina	RWD	4395	330	449	11.15-02.19	*	
750 i, Li xDrive (N63 B44 C)	Gasolina	4WD	4395	330	449	09.15-02.19	*	
750 i, Li xDrive (N63 B44 D)	Gasolina	4WD	4395	390	530	03.19-06.22	*	
M 760 Li xDrive (N74 B66 C)	Gasolina	4WD	6592	430	585	03.19-06.22	*	
M 760 i, Li xDrive (N74 B66 B)	Gasolina	4WD	6592	448	610	12.16-02.19	*	
740 e, Le (B48 B20 B)	Gasol./el éc.	RWD	1998	190	258	07.16-02.19	*	
740 Le xDrive (B48 B20 B)	Gasol./el éc.	4WD	1998	190	258	07.16-02.19	*	
740 e, Le (B48 B20 B)	Gasol./el éc.	RWD	1998	240	326	07.16-02.19	*	
740 Le xDrive (B48 B20 B)	Gasol./el éc.	4WD	1998	240	326	07.16-02.19	*	
745 e, Le Plug-in-Hybrid (B58 B30 C)	Gasol./el éc.	RWD	2998	210	286	03.19-	*	
745 Le Plug-in-Hybrid xDrive (B58 B30 C)	Gasol./el éc.	4WD	2998	210	286	03.19-	*	
745 e, Le Plug-in-Hybrid (B58 B30 C)	Gasol./el éc.	RWD	2998	290	394	03.19-06.22	*	
745 Le Plug-in-Hybrid xDrive (B58 B30 C)	Gasol./el éc.	4WD	2998	290	394	03.19-06.22	*	
730 d Mild-Hybrid xDrive (B57 D30 B)	Diesel/el éc.	4WD	2993	155	211	07.20-06.22	*	
730 d Mild-Hybrid xDrive (JA1)	Diesel/el éc.	4WD	2993	155	211	07.20-06.22	*	
730 d, Ld Mild-Hybrid xDrive (B57 D30 B)	Diesel/el éc.	4WD	2993	183	249	07.20-06.22	*	
730 d, Ld Mild-Hybrid xDrive (JA1)	Diesel/el éc.	4WD	2993	183	249	07.20-06.22	*	
730 d, Ld Mild-Hybrid (B57 D30 B)	Diesel/el éc.	RWD	2993	210	286	07.20-05.22	*	
730 d, Ld Mild-Hybrid (JA1)	Diesel/el éc.	RWD	2993	210	286	07.20-05.22	*	
730 d, Ld Mild-Hybrid xDrive (B57 D30 B)	Diesel/el éc.	4WD	2993	210	286	07.20-06.22	*	
730 d, Ld Mild-Hybrid xDrive (JA1)	Diesel/el éc.	4WD	2993	210	286	07.20-06.22	*	
740 d, Ld Mild-Hybrid xDrive (B57 D30 B)	Diesel/el éc.	4WD	2993	250	340	07.20-06.22	*	
740 d, Ld Mild-Hybrid xDrive (JA1)	Diesel/el éc.	4WD	2993	250	340	07.20-06.22	*	
725 d, Ld (B47 D20 B)	Diesel	RWD	1995	155	211	07.16-02.19	*	
725 d, Ld (B47 D20 B)	Diesel	RWD	1995	170	231	07.16-02.19	*	
730 d (B57 D30 A)	Diesel	RWD	2993	155	211	07.15-06.20	*	
730 d xDrive (B57 D30 A)	Diesel	4WD	2993	155	211	09.15-06.20	*	
730 d, Ld xDrive (B57 D30 A)	Diesel	4WD	2993	183	249	09.15-06.20	*	
730 d, Ld (B57 D30 A)	Diesel	RWD	2993	195	265	09.15-06.20	*	
730 d, Ld xDrive (B57 D30 A)	Diesel	4WD	2993	195	265	09.15-06.20	*	
740 d, Ld xDrive (B57 D30 B)	Diesel	4WD	2993	235	320	11.15-06.20	*	
750 d, Ld xDrive (B57 D30 C)	Diesel	4WD	2993	294	400	07.16-10.20	*	

# LISTA DE APLICACIONES - BUYERS GUIDE

8 Serie II (G14, F91) 11.18-					Cabrío (Grand Tourer-S Segment)			
840 i		Gasolina	RWD	2998	245	333	11.20-	*
840 i xDrive		Gasolina	4WD	2998	245	333	11.20-	*
840 i (B58 B30 C)		Gasolina	RWD	2998	250	340	07.19-	*
840 i xDrive (B58 B30 C)		Gasolina	4WD	2998	250	340	07.19-10.20	*
M 850 i xDrive (N63 B44 D)		Gasolina	4WD	4395	390	530	11.18-	*
840 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	11.20-	*
840 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	250	340	11.20-	*
840 d xDrive (B57 D30 B)		Diesel	4WD	2993	235	320	11.18-10.20	*
8 Serie II (G15, F92) 07.18-					Coupé (Grand Tourer-S Segment)			
840 i		Gasolina	RWD	2998	245	333	11.20-	*
840 i		Gasolina	RWD	2998	245	333	11.20-	*
840 i xDrive		Gasolina	4WD	2998	245	333	11.20-	*
840 i xDrive		Gasolina	4WD	2998	245	333	11.20-	*
840 i (B58 B30 C)		Gasolina	RWD	2998	250	340	07.19-	*
840 i (B58 B30 C)		Gasolina	RWD	2998	250	340	07.19-10.20	*
840 i xDrive (B58 B30 C)		Gasolina	4WD	2998	250	340	07.19-10.20	*
840 i xDrive (B58 B30 C)		Gasolina	4WD	2998	250	340	07.19-	*
M 850 i xDrive (N63 B44 D)		Gasolina	4WD	4395	390	530	10.18-	*
M 850 i xDrive (N63 B44 D)		Gasolina	4WD	4395	390	530	07.19-	*
840 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	11.20-	*
840 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	250	340	11.20-	*
840 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	11.20-	*
840 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	250	340	11.20-	*
840 d xDrive (B57 D30 B)		Diesel	4WD	2993	235	320	07.18-10.20	*
840 d xDrive (B57 D30 B)		Diesel	4WD	2993	235	320	07.19-10.20	*
i4 (G26) 11.21-					Coupé (Compact executive car-D Segment)			
M50 A las 4 ruedas		Eléctrico	4WD		400	544	11.21-	*
X3 III (G01, F97, G08) 07.17-					SUV (Luxury Crossover SUV-J Segment)			
M (S58 B30 A)		Gasolina	4WD	2993	353	480	03.19-	*
M Competition (S58 B30 A)		Gasolina	4WD	2993	375	510	03.19-	*
xDrive 30 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	183	249	07.20-	*
xDrive 30 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	183	249	07.20-	*
xDrive 30 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	07.20-	*
xDrive 30 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	210	286	07.20-	*
X4 II (G02, F98) 04.18-					SUV (Luxury Crossover SUV-J Segment)			
xDrive 30 i (B48 B20 B)		Gasolina	4WD	1998	180	245	10.21-	*
M (S58 B30 A)		Gasolina	4WD	2993	353	480	03.19-	*
M Competition (S58 B30 A)		Gasolina	4WD	2993	375	510	03.19-	*
X5 IV (G05) 11.19-					Furgoneta/SUV (Luxury Crossover SUV-J Segment)			
xDrive 40 i (B58 B30 C)		Gasolina	4WD	2998	250	340	11.19-03.23	*
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	195	265	11.19-03.23	*

# LISTA DE APLICACIONES - BUYERS GUIDE

X5 IV (G05, F95) 08.18-					SUV (Luxury Crossover SUV-J Segment)			
xDrive 30 i		Gasolina	4WD	1998	195	265	09.19-12.21	*
sDrive 40 i		Gasolina	RWD	2998	250	340	08.19-03.23	*
xDrive 40 i (B58 B30 C)		Gasolina	4WD	2998	250	340	08.18-03.23	*
xDrive 50 i (N63 B44 D)		Gasolina	4WD	4395	340	462	08.18-07.19	*
xDrive M50 i (N63 B44 D)		Gasolina	4WD	4395	390	530	08.19-03.23	*
xDrive 45 e Plug-in-Hybrid (B58 B30 C)		Gasol./el éc.	4WD	2998	155	211	06.19-	*
xDrive 45 e Plug-in-Hybrid (B58 B30 C)		Gasol./el éc.	4WD	2998	210	286	06.19-	*
xDrive 45 e Plug-in-Hybrid (B58 B30 C)		Gasol./el éc.	4WD	2998	235	320	06.19-03.23	*
xDrive 40 i Mild-Hybrid		Gasol./el éc.	4WD	2998	245	333	12.20-03.23	*
xDrive 40 i Mild-Hybrid		Gasol./el éc.	4WD	2998	280	381	04.23-	*
xDrive 45 e Plug-in Hybrid (B58 B30 C)		Gasol./el éc.	4WD	2998	290	394	06.19-03.23	*
xDrive 50 e Plug-in-Hybrid		Gasol./el éc.	4WD	2998	360	489	04.23-	*
xDrive M60 i Mild-Hybrid		Gasol./el éc.	4WD	4395	390	530	04.23-	*
xDrive 30 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	183	249	08.20-	*
xDrive 30 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	183	249	08.20-	*
xDrive 30 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	08.20-	*
xDrive 30 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	210	286	08.20-	*
xDrive 30 d Mild-Hybrid		Diesel/el éc.	4WD	2993	219	298	04.23-	*
xDrive 40 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	05.20-	*
xDrive 40 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	250	340	05.20-	*
xDrive 40 d Mild-Hybrid		Diesel/el éc.	4WD	2993	259	352	06.23-	*
xDrive 25 d (B47 D20 B)		Diesel	4WD	1995	155	211	08.19-03.23	*
xDrive 25 d (B47 D20 B)		Diesel	4WD	1995	170	231	08.19-03.23	*
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	183	249	08.18-07.20	*
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	195	265	08.18-07.20	*
xDrive M 50 d (B57 D30 C)		Diesel	4WD	2993	294	400	08.18-03.23	*
X6 III (G06, F96) 08.19-					SUV (Luxury Crossover SUV-J Segment)			
xDrive 30 i (B48 B20 B)		Gasolina	4WD	1998	195	265	11.19-	*
sDrive 40 i		Gasolina	RWD	2998	250	340	08.19-	*
xDrive 40 i (B58 B30 C)		Gasolina	4WD	2998	250	340	08.19-03.23	*
xDrive M50 i (N63 B44 D)		Gasolina	4WD	4395	390	530	08.19-03.23	*
xDrive 30 i Mild-Hybrid (B48 B20 S)		Gasol./el éc.	4WD	1998	190	258	05.23-	*
xDrive 40 i Mild-Hybrid		Gasol./el éc.	4WD	2998	245	333	12.20-03.23	*
xDrive 40 i Mild Hybrid (B58 B30 C)		Gasol./el éc.	4WD	2998	250	340	04.22-	*
xDrive 40 i Mild Hybrid		Gasol./el éc.	4WD	2998	280	381	04.23-	*
xDrive M60 i Mild-Hybrid		Gasol./el éc.	4WD	4395	390	530	04.23-	*
xDrive 30 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	155	211	08.20-	*
xDrive 30 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	155	211	08.20-	*

# LISTA DE APLICACIONES - BUYERS GUIDE

xDrive 30 d Mild-Hybrid		Diesel/el éc.	4WD	2993	164	223	04.23-	*
xDrive 30 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	183	249	08.20-	*
xDrive 30 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	183	249	08.20-	*
xDrive 30 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	08.20-03.23	*
xDrive 30 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	210	286	08.20-03.23	*
xDrive 30 d Mild-Hybrid		Diesel/el éc.	4WD	2993	219	298	04.23-	*
xDrive 40 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	05.20-03.23	*
xDrive 40 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	250	340	05.20-03.23	*
xDrive 40 d Mild-Hybrid		Diesel/el éc.	4WD	2993	259	352	06.23-	*
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	155	211	08.19-07.20	*
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	183	249	08.19-07.20	*
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	195	265	08.19-07.20	*
xDrive M 50 d (B57 D30 C)		Diesel	4WD	2993	294	400	08.19-03.23	*
<b>X7 (G07) 03.19-</b>					<b>SUV (Luxury Crossover SUV-J Segment)</b>			
xDrive 40 i (B58 B30 C)		Gasolina	4WD	2998	250	340	03.19-	*
xDrive 50 i (N63 B44 D)		Gasolina	4WD	4395	340	462	03.19-	*
xDrive M50 i (N63 B44 D)		Gasolina	4WD	4395	390	530	07.19-	*
xDrive 40 i Mild-Hybrid		Gasol./el éc.	4WD	2998	245	333	12.20-	*
xDrive 40 i Mild Hybrid		Gasol./el éc.	4WD	2998	280	381	07.22-	*
xDrive M 60 i Mild Hybrid		Gasol./el éc.	4WD	4395	390	530	07.22-	*
xDrive 40 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	155	211	08.20-	*
xDrive 40 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	155	211	08.20-	*
xDrive 40 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	08.20-	*
xDrive 40 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	250	340	08.20-	*
xDrive 40 d Mild-Hybrid		Diesel/el éc.	4WD	2993	259	352	07.22-	*
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	155	211	03.19-08.20	*
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	183	249	03.19-	*
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	195	265	03.19-	*
xDrive M 50 d (B57 D30 C)		Diesel	4WD	2993	294	400	03.19-	*
<b>BMW (BRILLIANCE)</b>								
<b>3 SERIES VII (G28, G20) 06.19-</b>					<b>Sedán (Compact executive car-D Segment)</b>			
320i		Gasolina	RWD	1998	115	156	11.19-	*
330 Li		Gasolina	RWD	1998	115	156	11.19-	*
325i		Gasolina	RWD	1998	135	184	06.19-	*
330i (B48B20G)		Gasolina	RWD	1998	180	245	08.22-	*
330i		Gasolina	RWD	1998	190	258	11.19-	*
330 Li xDrive		Gasolina	4WD	1998	190	258	11.19-	*
<b>X5 (G18) 03.22-</b>					<b>SUV ()</b>			
xDrive 40 Li Mild-Hybrid (B58B30C)		Gasol./el éc.	4WD	2998	245	333	03.22-	*
xDrive 40 Li Mild-Hybrid (B58 B30 P)		Gasol./el éc.	4WD	2998	280	381	08.23-	*
<b>ROLLS-ROYCE</b>								



# LISTA DE APLICACIONES - BUYERS GUIDE

CULLINAN (RR31) 08.18-					SUV (Luxury Crossover SUV-J Segment)			
V12 (N74 B68 A)	Gasolina	4WD	6749	420	571	08.18-	*	
V12 (N74 B68 A)	Gasolina	4WD	6749	441	600	08.19-		
GHOST II (RR21) 08.20-					Sedán (Luxury car-F Segment)			
V12 (N74 B68 A)	Gasolina	4WD	6749	420	571	08.20-	*	
V12 (N74 B68 A)	Gasolina	4WD	6749	420	571	08.20-		
V12	Gasolina	4WD	6749	441	600	08.22-	*	
PHANTOM VIII (RR11, RR12) 09.17-					Sedán (Luxury car-F Segment)			
V12, V12 EWB (N74 B68 A)	Gasolina	RWD	6749	420	571	09.17-	*	