


# LISTA DE APLICACIONES - BUYERS GUIDE

## RB2280



Qty: 300

Weight: 3.765



## RB2280

E 9 90R-02A0111/4963



Brembo

125.9x94.8x19.9

**WVA**

22425

Sin Filas

**FMSI**

D1867-9097



Trac.

CC

Kw

CV



Front / Rear

### ALPINA

#### B3 VII (G20) 09.19-

**Sedán (Compact executive car-D Segment)**

BITURBO A las 4 ruedas

Gasolina

4WD

2993

340

462

09.19-

\*

#### B3 VII Touring (G21) 09.19-

**[CAMBIADO]:Break (Compact executive car-D Segment)**

BITURBO A las 4 ruedas

Gasolina

4WD

2993

340

462

09.19-

\*

#### D3 III (G20) 05.20-

**Sedán (Compact executive car-D Segment)**

S (B57 D30 B)

Diesel/el  
éc.

4WD

2993

261

355

05.20-

\*

#### D3 III Touring (G21) 05.20-

**[CAMBIADO]:Break (Compact executive car-D Segment)**

S (B57 D30 B)

Diesel/el  
éc.

4WD

2993

261

355

05.20-

\*

#### XD3 (G01) 07.18-

**SUV (Luxury Crossover SUV-J Segment)**

BITURBO Mild-Hybrid A las 4 ruedas

Diesel/el  
éc.

4WD

2993

261

355

11.20-

\*

BITURBO A las 4 ruedas (B57 D30 A)

Diesel

4WD

2993

245

333

11.18-10.20

\*

BITURBO A las 4 ruedas (B57 D30 A)

Diesel

4WD

2993

285

388

07.18-

\*

#### XD4 (G02) 07.18-

**SUV (Luxury Crossover SUV-J Segment)**

BITURBO A las 4 ruedas (B57 D30 A)

Diesel

4WD

2993

285

388

07.18-

\*

### BMW

#### 2 Serie II (G42, G87) 08.21-

**Coupé (Compact car-C Segment)**

220 i

Gasolina

RWD

1998

135

184

08.21-

\*

M240 i xDrive

Gasolina

4WD

2998

275

374

08.21-

\*

220 d Mild-Hybrid

Diesel/el  
éc.

RWD

1995

140

190

08.21-

\*

# LISTA DE APLICACIONES - BUYERS GUIDE

3 Serie VII (G20, G80, G28) 11.18-					Sedán (Compact executive car-D Segment)			
320 i 1.6 (B48 B16 A)		Gasolina	RWD	1597	125	170	03.19-	*
318i (B48 B20 A)		Gasolina	RWD	1998	115	156	03.20-	*
320i (B48 B20 A)		Gasolina	RWD	1998	135	184	03.19-	*
320i (B48 B20 B)		Gasolina	RWD	1998	135	184	03.19-	*
320 i xDrive (B48 B20 A)		Gasolina	4WD	1998	135	184	07.19-	*
330i (B46 B20 B)		Gasolina	RWD	1998	190	258	11.18-	*
330i (B48 B20 B)		Gasolina	RWD	1998	190	258	11.18-	*
330 i xDrive (B46 B20 B)		Gasolina	4WD	1998	190	258	11.18-	*
330 i xDrive (B48 B20 B)		Gasolina	4WD	1998	190	258	11.18-	*
M 340 i xDrive (B58 B30 B)		Gasolina	4WD	2998	275	374	07.19-	*
M 340 i		Gasolina	RWD	2998	285	387	03.19-	*
M 340 i xDrive (B58 B30 B)		Gasolina	4WD	2998	285	387	03.19-	*
320 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	120	163	07.20-	*
320 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	120	163	07.20-	*
330 e Plug-in-Hybrid (B46 B20 B)		Gasol./el éc.	RWD	1998	135	184	07.19-	*
330 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	135	184	07.19-	*
330 e Plug-in-Hybrid (B48 B20 B)		Gasol./el éc.	RWD	1998	135	184	07.19-	*
330 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	135	184	07.19-	*
330 e Plug-in-Hybrid xDrive (B46 B20 B)		Gasol./el éc.	4WD	1998	135	184	07.20-	*
330 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	135	184	07.20-	*
330 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	135	184	07.20-	*
320 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	150	204	07.20-	*
320 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	150	204	07.20-	*
330 e Plug-in-Hybrid (B46 B20 B)		Gasol./el éc.	RWD	1998	185	252	07.19-02.20	*
330 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	185	252	07.19-02.20	*
330 e Plug-in-Hybrid (B48 B20 B)		Gasol./el éc.	RWD	1998	185	252	07.19-02.20	*
330 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	185	252	07.19-02.20	*
330 e Plug-in-Hybrid (B46 B20 B)		Gasol./el éc.	RWD	1998	215	292	07.19-	*
330 e Plug-in-Hybrid (B48 B20 B)		Gasol./el éc.	RWD	1998	215	292	07.19-	*
330 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	215	292	07.19-	*
330 e Plug-in-Hybrid xDrive (B46 B20 B)		Gasol./el éc.	4WD	1998	215	292	07.20-	*
330 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	215	292	07.20-	*
330 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	215	292	07.20-	*
M 340 i Mild-Hybrid xDrive (B58 B30 B)		Gasol./el éc.	4WD	2998	275	374	11.20-	*
M 340 i Mild-Hybrid xDrive (JA1)		Gasol./el éc.	4WD	2998	275	374	11.20-	*
316 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	85	116	11.20-	*
316 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	85	116	11.20-	*
316 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	90	122	08.20-	*

# LISTA DE APLICACIONES - BUYERS GUIDE

316 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	90	122	08.20-	*
318 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	100	136	04.20-	*
318 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	100	136	04.20-	*
318 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	110	150	04.20-	*
318 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	110	150	04.20-	*
320 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	120	163	03.20-	*
320 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	120	163	03.20-	*
320 d Mild-Hybrid xDrive (B47 D20 B)		Diesel/el éc.	4WD	1995	120	163	03.20-	*
320 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	1995	120	163	03.20-	*
320 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	140	190	03.20-	*
320 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	140	190	03.20-	*
320 d Mild-Hybrid xDrive (B47 D20 B)		Diesel/el éc.	4WD	1995	140	190	03.20-	*
320 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	1995	140	190	03.20-	*
330 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	RWD	2993	210	286	11.20-	*
330 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	2993	210	286	11.20-	*
330 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	11.20-	*
330 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	210	286	11.20-	*
M340 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	04.20-	*
M340 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	250	340	04.20-	*
316 d (B47 D20 B)		Diesel	RWD	1995	85	116	11.20-	*
316 d (B47 D20 B)		Diesel	RWD	1995	90	122	03.20-	*
318 d (B47 D20 B)		Diesel	RWD	1995	100	136	03.19-03.20	*
318 d (B47 D20 B)		Diesel	RWD	1995	110	150	03.19-03.20	*
320 d (B47 D20 B)		Diesel	RWD	1995	120	163	11.18-02.20	*
320 d xDrive (B47 D20 B)		Diesel	4WD	1995	120	163	11.18-02.20	*
320 d (B47 D20 B)		Diesel	RWD	1995	140	190	11.18-	*
320 d xDrive (B47 D20 B)		Diesel	4WD	1995	140	190	11.18-02.20	*
330 d (B57 D30 A)		Diesel	RWD	2993	195	265	03.19-	*
330 d xDrive (B57 D30 A)		Diesel	4WD	2993	195	265	07.19-	*
<b>3 Serie VII Touring (G21, G81) 07.19-</b>					<b>[CAMBIADO]:Break (Compact executive car-D Segment)</b>			
318i (B48 B20 A)		Gasolina	RWD	1998	115	156	03.20-	*
320i (B46 B20 B)		Gasolina	RWD	1998	135	184	11.19-	*
320i (B48 B20 A)		Gasolina	RWD	1998	135	184	11.19-	*
330i		Gasolina	RWD	1998	180	245	07.19-	*
330i (B48 B20 B)		Gasolina	RWD	1998	190	258	07.19-	*
330 i xDrive (B48 B20 B)		Gasolina	4WD	1998	190	258	07.19-	*
M 340 i xDrive (B58 B30 B)		Gasolina	4WD	2998	275	374	11.19-	*
M 340 i xDrive (B58 B30 B)		Gasolina	4WD	2998	285	387	11.19-	*
320 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	120	163	07.20-	*
320 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	120	163	07.20-	*
320 e Plug-in-Hybrid xDrive		Gasol./el éc.	4WD	1998	120	163	03.21-	*

# LISTA DE APLICACIONES - BUYERS GUIDE

330 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	135	184	07.20-	*
330 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	135	184	07.20-	*
330 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	135	184	07.20-	*
330 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	135	184	07.20-	*
320 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	150	204	07.20-	*
320 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	150	204	07.20-	*
320 e Plug-in-Hybrid xDrive		Gasol./el éc.	4WD	1998	150	204	03.21-	*
330 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	215	292	07.20-	*
330 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	215	292	07.20-	*
330 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	215	292	07.20-	*
330 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	215	292	07.20-	*
M 340 i Mild-Hybrid xDrive (B58 B30 B)		Gasol./el éc.	4WD	2998	275	374	11.20-	*
M 340 i Mild-Hybrid xDrive (JA1)		Gasol./el éc.	4WD	2998	275	374	11.20-	*
316 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	85	116	11.20-	*
316 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	85	116	11.20-	*
316 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	90	122	07.20-	*
316 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	90	122	07.20-	*
318 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	100	136	08.20-	*
318 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	100	136	08.20-	*
318 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	110	150	08.20-	*
318 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	110	150	08.20-	*
320 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	120	163	03.20-	*
320 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	120	163	03.20-	*
320 d Mild-Hybrid xDrive (B47 D20 B)		Diesel/el éc.	4WD	1995	120	163	03.20-	*
320 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	1995	120	163	03.20-	*
320 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	140	190	03.20-	*
320 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	140	190	03.20-	*
320 d Mild-Hybrid xDrive (B47 D20 B)		Diesel/el éc.	4WD	1995	140	190	03.20-	*
320 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	1995	140	190	03.20-	*
330 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	RWD	2993	210	286	11.20-	*
330 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	2993	210	286	11.20-	*
330 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	11.20-	*
330 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	210	286	11.20-	*
M340 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	04.20-	*
M340 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	250	340	04.20-	*
316 d (B47 D20 B)		Diesel	RWD	1995	85	116	11.20-	*

# LISTA DE APLICACIONES - BUYERS GUIDE

316 d (B47 D20 B)		Diesel	RWD	1995	90	122	11.20-	*
318 d (B47 D20 B)		Diesel	RWD	1995	100	136	11.19-07.20	*
318 d (B47 D20 B)		Diesel	RWD	1995	110	150	11.19-07.20	*
320 d (B47 D20 B)		Diesel	RWD	1995	120	163	07.19-02.20	*
320 d xDrive (B47 D20 B)		Diesel	4WD	1995	120	163	07.19-02.20	*
320 d (B47 D20 B)		Diesel	RWD	1995	140	190	07.19-02.20	*
320 d xDrive (B47 D20 B)		Diesel	4WD	1995	140	190	07.19-02.20	*
330 d (B57 D30 A)		Diesel	RWD	2993	195	265	11.19-	*
330 d xDrive (B57 D30 A)		Diesel	4WD	2993	195	265	07.19-	*
<b>3 Serie VII Touring Van (G21) 07.19-</b>					<b>[CAMBIADO]:Furgón/Break (Compact executive car-D Segment)</b>			
320i (B46 B20 B)		Gasolina	RWD	1998	135	184	11.19-	*
320i (B48 B20 A)		Gasolina	RWD	1998	135	184	11.19-	*
330i (B48 B20 B)		Gasolina	RWD	1998	190	258	07.19-	*
M 340 i xDrive (B58 B30 B)		Gasolina	4WD	2998	275	374	11.19-	*
320 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	140	190	03.20-	*
320 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	140	190	03.20-	*
320 d Mild-Hybrid xDrive (B47 D20 B)		Diesel/el éc.	4WD	1995	140	190	03.20-	*
320 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	1995	140	190	03.20-	*
320 d (B47 D20 B)		Diesel	RWD	1995	140	190	07.19-02.20	*
320 d xDrive (B47 D20 B)		Diesel	4WD	1995	140	190	07.19-02.20	*
330 d (B57 D30 A)		Diesel	RWD	2993	195	265	11.19-	*
330 d xDrive (B57 D30 A)		Diesel	4WD	2993	195	265	11.19-	*
<b>4 Serie II (G23, G83) 11.20-</b>					<b>Cabrio (Compact executive car-D Segment)</b>			
420 i (B48 B20 A)		Gasolina	RWD	1998	135	184	11.20-	*
430 i		Gasolina	RWD	1998	180	245	07.21-	*
430 i xDrive		Gasolina	4WD	1998	180	245	07.21-	*
430 i (B46 B20 B)		Gasolina	RWD	1998	190	258	11.20-	*
430 i (B48 B20 B)		Gasolina	RWD	1998	190	258	11.20-	*
M440 i Mild-Hybrid		Gasol./el éc.	RWD	2998	275	374	07.21-	*
M440 i Mild-Hybrid xDrive (B58 B30 B)		Gasol./el éc.	4WD	2998	275	374	11.20-	*
M440 i Mild-Hybrid xDrive (JA1)		Gasol./el éc.	4WD	2998	275	374	11.20-	*
M440 i Mild-Hybrid xDrive (B58 B30 B)		Gasol./el éc.	4WD	2998	285	387	11.20-	*
M440 i Mild-Hybrid xDrive (JA1)		Gasol./el éc.	4WD	2998	285	387	11.20-	*
420 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	120	163	11.20-	*
420 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	120	163	11.20-	*
420 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	140	190	11.20-	*
420 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	140	190	11.20-	*
430 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	RWD	2993	210	286	07.21-	*
430 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	2993	210	286	07.21-	*
M440 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	11.21-	*
M440 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	250	340	11.21-	*

# LISTA DE APLICACIONES - BUYERS GUIDE

4 Serie II (G22, G82) 07.20-					Coupé (Compact executive car-D Segment)			
420 i 1.6 (B48 B16 A)		Gasolina	RWD	1597	125	170	11.20-	*
420 i (B46 B20 B)		Gasolina	RWD	1998	135	184	07.20-	*
420 i (B48 B20 A)		Gasolina	RWD	1998	135	184	07.20-	*
420 i		Gasolina	RWD	1998	135	184	07.21-	*
420 i xDrive		Gasolina	4WD	1998	135	184	07.21-	*
430 i		Gasolina	RWD	1998	180	245	07.21-	*
430 i		Gasolina	RWD	1998	180	245	07.21-	*
430 i xDrive		Gasolina	4WD	1998	180	245	07.21-	*
430 i (B46 B20 B)		Gasolina	RWD	1998	190	258	07.20-	*
430 i (B48 B20 B)		Gasolina	RWD	1998	190	258	07.20-	*
430 i xDrive (B46 B20 B)		Gasolina	4WD	1998	190	258	07.20-	*
M440 i Mild-Hybrid		Gasol./el éc.	RWD	2998	275	374	07.21-	*
M440 i Mild-Hybrid xDrive (B58 B30 B)		Gasol./el éc.	4WD	2998	275	374	11.20-	*
M440 i Mild-Hybrid xDrive		Gasol./el éc.	4WD	2998	275	374	07.21-	*
M440 i Mild-Hybrid xDrive (B58 B30 B)		Gasol./el éc.	4WD	2998	285	387	07.20-	*
M440 i Mild-Hybrid xDrive (JA1)		Gasol./el éc.	4WD	2998	285	387	07.20-	*
420 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	120	163	07.20-	*
420 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	120	163	07.20-	*
420 d Mild-Hybrid xDrive (B47 D20 B)		Diesel/el éc.	4WD	1995	120	163	07.20-	*
420 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	1995	120	163	07.20-	*
420 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	140	190	07.20-	*
420 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	140	190	07.20-	*
420 d Mild-Hybrid		Diesel/el éc.	RWD	1995	140	190	07.21-	*
420 d Mild-Hybrid xDrive (B47 D20 B)		Diesel/el éc.	4WD	1995	140	190	07.20-	*
420 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	1995	140	190	07.20-	*
420 d Mild-Hybrid xDrive		Diesel/el éc.	4WD	1995	140	190	07.21-	*
430 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	03.21-	*
430 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	210	286	03.21-	*
M440 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	03.21-	*
M440 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	250	340	03.21-	*
5 Serie VII (G30, F90) 09.16-					Sedán (Executive car-E Segment)			
520 i (B48 B16 A)		Gasolina	RWD	1597	125	170	07.17-06.23	*
520 i (B48 B20 A)		Gasolina	RWD	1998	120	163	07.17-06.20	*
520 i (B48 B20 B)		Gasolina	RWD	1998	120	163	07.17-06.20	*
520 i (B48 B20 A)		Gasolina	RWD	1998	135	184	07.17-	*
520 i (B48 B20 B)		Gasolina	RWD	1998	135	184	07.17-	*
520 i (B48 B20 A)		Gasolina	RWD	1998	155	211	07.17-06.20	*
520 i (B48 B20 B)		Gasolina	RWD	1998	155	211	07.17-06.20	*
530i		Gasolina	RWD	1998	180	245	05.22-06.23	*
530 i xDrive		Gasolina	4WD	1998	180	245	05.22-06.23	*
530 i xDrive (B48 B20 B)		Gasolina	4WD	1998	183	249	09.16-06.23	*

# LISTA DE APLICACIONES - BUYERS GUIDE

530i (B46 B20 B)		Gasolina	RWD	1998	185	252	09.16-06.20	*
530i (B48 B20 B)		Gasolina	RWD	1998	185	252	09.16-06.20	*
530 i xDrive (B46 B20 B)		Gasolina	4WD	1998	185	252	09.16-06.20	*
530 i xDrive (B48 B20 B)		Gasolina	4WD	1998	185	252	09.16-06.20	*
540 i (B58 B30 A)		Gasolina	RWD	2998	250	340	09.16-06.20	*
540 i (B58 B30 C)		Gasolina	RWD	2998	250	340	09.16-06.20	*
540 i xDrive (B58 B30 A)		Gasolina	4WD	2998	250	340	09.16-06.20	*
540 i (B58 B30 A)		Gasolina	RWD	2998	265	360	09.16-06.20	*
540 i xDrive (B58 B30 A)		Gasolina	4WD	2998	265	360	09.16-06.20	*
520 E PLUG-IN-HYBRID		Gasol./el éc.	RWD	1998	120	163	03.21-	*
520 i Mild-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	120	163	07.20-06.23	*
520 i Mild-Hybrid (JA1)		Gasol./el éc.	RWD	1998	120	163	07.20-06.23	*
530 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	120	163	07.19-	*
530 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	120	163	07.19-	*
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	120	163	07.19-	*
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	120	163	07.19-	*
520 i Mild-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	135	184	07.20-06.23	*
520 i Mild-Hybrid (JA1)		Gasol./el éc.	RWD	1998	135	184	07.20-06.23	*
530 e Plug-in-Hybrid (B46 B20 B)		Gasol./el éc.	RWD	1998	135	184	03.17-	*
530 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	135	184	03.17-	*
530 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	135	184	03.17-	*
530 e Plug-in-Hybrid xDrive (B46 B20 B)		Gasol./el éc.	4WD	1998	135	184	03.17-	*
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	135	184	03.17-	*
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	135	184	03.17-	*
520 E PLUG-IN-HYBRID		Gasol./el éc.	RWD	1998	150	204	03.21-05.22	*
530 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	170	231	07.19-06.20	*
530 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	170	231	07.19-06.20	*
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	170	231	07.19-06.23	*
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	170	231	07.19-06.23	*
530 i Mild-Hybrid		Gasol./el éc.	RWD	1998	180	245	05.22-06.23	*
530 i Mild-Hybrid xDrive		Gasol./el éc.	4WD	1998	180	245	05.22-06.23	*
530e Plug-in Hybrid (B46 B20 B)		Gasol./el éc.	RWD	1998	185	252	03.17-06.20	*
530e Plug-in Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	185	252	03.17-06.20	*
530e Plug-in Hybrid (GC1)		Gasol./el éc.	RWD	1998	185	252	03.17-06.20	*
530 e Plug-in-Hybrid xDrive (B46 B20 B)		Gasol./el éc.	4WD	1998	185	252	03.17-06.23	*
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	185	252	03.17-06.23	*
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	185	252	03.17-06.23	*
530 i Mild-Hybrid (B48 B20 B)		Gasol./el éc.	RWD	1998	185	252	07.20-06.23	*

# LISTA DE APLICACIONES - BUYERS GUIDE

530 i Mild-Hybrid (JA1)		Gasol./el éc.	RWD	1998	185	252	07.20-06.23	*
530 i Mild-Hybrid xDrive (B48 B20 B)		Gasol./el éc.	4WD	1998	185	252	07.20-06.23	*
530 i Mild-Hybrid xDrive (JA1)		Gasol./el éc.	4WD	1998	185	252	07.20-06.23	*
530 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	200	272	07.20-06.23	*
530 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	200	272	07.20-06.23	*
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	200	272	07.20-06.23	*
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	200	272	07.20-06.23	*
530 e Plug-in-Hybrid (B46 B20 B)		Gasol./el éc.	RWD	1998	215	292	07.20-06.23	*
530 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	215	292	07.20-06.23	*
530 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	215	292	07.20-06.23	*
530 e Plug-in-Hybrid xDrive (B46 B20 B)		Gasol./el éc.	4WD	1998	215	292	07.20-06.23	*
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	215	292	07.20-06.23	*
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	215	292	07.20-06.23	*
545 e Plug-in-Hybrid xDrive (B58 B30 C)		Gasol./el éc.	4WD	2998	210	286	11.20-	*
545 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	2998	210	286	11.20-	*
540 i Mild-Hybrid (B58 B30 C)		Gasol./el éc.	RWD	2998	245	333	07.20-05.23	*
540 i Mild-Hybrid (JA1)		Gasol./el éc.	RWD	2998	245	333	07.20-05.23	*
540 i Mild-Hybrid xDrive (B58 B30 C)		Gasol./el éc.	4WD	2998	245	333	07.20-06.23	*
540 i Mild-Hybrid xDrive (JA1)		Gasol./el éc.	4WD	2998	245	333	07.20-06.23	*
545 e Plug-in-Hybrid xDrive (B58 B30 C)		Gasol./el éc.	4WD	2998	290	394	11.20-06.23	*
545 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	2998	290	394	11.20-06.23	*
518 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	100	136	07.20-06.23	*
518 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	100	136	07.20-06.23	*
518 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	110	150	07.20-06.23	*
518 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	110	150	07.20-06.23	*
520 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	120	163	11.19-06.23	*
520 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	120	163	11.19-06.23	*
520 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	140	190	11.19-06.23	*
520 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	140	190	11.19-06.23	*
520 d Mild-Hybrid xDrive (B47 D20 B)		Diesel/el éc.	4WD	1995	140	190	11.19-06.23	*
520 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	1995	140	190	11.19-06.23	*
530 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	RWD	2993	183	249	07.20-06.23	*
530 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	2993	183	249	07.20-06.23	*
530 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	183	249	07.20-06.23	*
530 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	183	249	07.20-06.23	*



# LISTA DE APLICACIONES - BUYERS GUIDE

530 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	RWD	2993	210	286	07.20-06.23	*
530 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	2993	210	286	07.20-06.23	*
530 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	07.20-06.23	*
530 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	210	286	07.20-06.23	*
540 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	07.20-06.23	*
540 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	250	340	07.20-06.23	*
518 d (B47 D20 B)		Diesel	RWD	1995	100	136	07.18-06.20	*
518 d (B47 D20 B)		Diesel	RWD	1995	110	150	07.18-06.20	*
520 d (B47 D20 A)		Diesel	RWD	1995	120	163	09.16-06.23	*
520 d xDrive (B47 D20 A)		Diesel	4WD	1995	120	163	09.16-06.23	*
520 d (B47 D20 A)		Diesel	RWD	1995	140	190	09.16-06.23	*
520 d (B47 D20 B)		Diesel	RWD	1995	140	190	09.16-06.23	*
520 d xDrive (B47 D20 A)		Diesel	4WD	1995	140	190	09.16-06.23	*
525 d (B47 D20 B)		Diesel	RWD	1995	155	211	07.17-06.19	*
525 d (B47 D20 B)		Diesel	RWD	1995	170	231	07.17-06.19	*
530 d xDrive (B57 D30 A)		Diesel	4WD	2993	183	249	09.16-06.20	*
530 d (B57 D30 A)		Diesel	RWD	2993	195	265	09.16-06.20	*
530 d xDrive (B57 D30 A)		Diesel	4WD	2993	195	265	09.16-06.20	*
540 d xDrive (B57 D30 A)		Diesel	4WD	2993	235	320	07.17-06.20	*
540 d xDrive (B57 D30 B)		Diesel	4WD	2993	235	320	07.17-06.20	*
540 d xDrive (G4NA)		Diesel	4WD	2993	235	320	07.17-06.20	*
M 550 d xDrive (B57 D30 C)		Diesel	4WD	2993	294	400	06.17-06.20	*
<b>5 Serie VII Touring (G31) 03.17-</b>					<b>[CAMBIADO]:Break (Executive car-E Segment)</b>			
530i		Gasolina	RWD	1998	180	245	05.22-	*
530 i xDrive		Gasolina	4WD	1998	180	245	05.22-	*
530i (B48 B20 B)		Gasolina	RWD	1998	185	252	03.17-06.20	*
530 i xDrive (B48 B20 B)		Gasolina	4WD	1998	185	252	07.17-06.20	*
540 i xDrive (B58 B30 A)		Gasolina	4WD	2998	250	340	03.17-06.20	*
540 i xDrive (B58 B30 A)		Gasolina	4WD	2998	265	360	03.17-06.20	*
520 E PLUG-IN-HYBRID		Gasol./el éc.	RWD	1998	120	163	03.21-	*
520 i Mild-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	120	163	07.20-	*
520 i Mild-Hybrid (JA1)		Gasol./el éc.	RWD	1998	120	163	07.20-	*
530 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	120	163	11.20-	*
530 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	120	163	11.20-	*
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	120	163	11.20-	*
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	120	163	11.20-	*
520 i Mild-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	135	184	07.20-	*
520 i Mild-Hybrid (JA1)		Gasol./el éc.	RWD	1998	135	184	07.20-	*
530 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	135	184	11.20-	*
530 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	135	184	11.20-	*
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	135	184	11.20-	*
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	135	184	11.20-	*

# LISTA DE APLICACIONES - BUYERS GUIDE

520 E PLUG-IN-HYBRID		Gasol./el éc.	RWD	1998	150	204	03.21-05.22	*
530 i Mild-Hybrid (B48 B20 B)		Gasol./el éc.	RWD	1998	180	245	07.22-	*
530 i Mild-Hybrid xDrive (B48 B20 B)		Gasol./el éc.	4WD	1998	180	245	07.22-	*
530 i Mild-Hybrid (B48 B20 B)		Gasol./el éc.	RWD	1998	185	252	07.20-	*
530 i Mild-Hybrid (JA1)		Gasol./el éc.	RWD	1998	185	252	07.20-	*
530 i Mild-Hybrid xDrive (B48 B20 B)		Gasol./el éc.	4WD	1998	185	252	07.20-	*
530 i Mild-Hybrid xDrive (JA1)		Gasol./el éc.	4WD	1998	185	252	07.20-	*
530 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	200	272	11.20-	*
530 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	200	272	11.20-	*
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	200	272	11.20-	*
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	200	272	11.20-	*
530 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	215	292	11.20-	*
530 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	215	292	11.20-	*
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	215	292	11.20-	*
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	215	292	11.20-	*
540 i Mild-Hybrid xDrive (B58 B30 C)		Gasol./el éc.	4WD	2998	245	333	07.20-	*
540 i Mild-Hybrid xDrive (JA1)		Gasol./el éc.	4WD	2998	245	333	07.20-	*
518 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	100	136	07.20-	*
518 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	100	136	07.20-	*
518 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	110	150	07.20-	*
518 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	110	150	07.20-	*
520 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	120	163	11.19-	*
520 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	120	163	11.19-	*
520 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	140	190	11.19-	*
520 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	140	190	11.19-	*
520 d Mild-Hybrid xDrive (B47 D20 B)		Diesel/el éc.	4WD	1995	140	190	11.19-	*
520 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	1995	140	190	11.19-	*
530 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	RWD	2993	183	249	07.20-	*
530 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	2993	183	249	07.20-	*
530 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	183	249	07.20-	*
530 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	183	249	07.20-	*
530 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	RWD	2993	210	286	07.20-	*
530 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	2993	210	286	07.20-	*
530 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	07.20-	*
530 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	210	286	07.20-	*

# LISTA DE APLICACIONES - BUYERS GUIDE

540 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	07.20-	*
540 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	250	340	07.20-	*
520 d (B47 D20 A)		Diesel	RWD	1995	120	163	03.17-	*
520 d (B47 D20 B)		Diesel	RWD	1995	120	163	03.17-	*
520 d xDrive (B47 D20 A)		Diesel	4WD	1995	120	163	07.17-	*
520 d xDrive (B47 D20 B)		Diesel	4WD	1995	120	163	07.17-	*
520 d (B47 D20 A)		Diesel	RWD	1995	140	190	03.17-	*
520 d (B47 D20 B)		Diesel	RWD	1995	140	190	03.17-	*
520 d xDrive (B47 D20 A)		Diesel	4WD	1995	140	190	07.17-	*
520 d xDrive (B47 D20 B)		Diesel	4WD	1995	140	190	07.17-	*
525 d (B47 D20 B)		Diesel	RWD	1995	155	211	07.17-06.19	*
525 d (B47 D20 B)		Diesel	RWD	1995	170	231	07.17-06.19	*
530 d (B57 D30 A)		Diesel	RWD	2993	195	265	03.17-06.20	*
530 d xDrive (B57 D30 A)		Diesel	4WD	2993	195	265	03.17-06.20	*
540 d xDrive (B57 D30 B)		Diesel	4WD	2993	235	320	07.17-06.20	*
<b>5 Serie VII Touring Van (G31) 03.17-</b>					<b>[CAMBIADO]:Furgón/Break (Executive car-E Segment)</b>			
520 i (B48 B20 A)		Gasolina	RWD	1998	135	184	07.17-	*
530i (B48 B20 B)		Gasolina	RWD	1998	185	252	03.17-	*
530 i xDrive (B48 B20 B)		Gasolina	4WD	1998	185	252	07.17-	*
540 i xDrive (B58 B30 A)		Gasolina	4WD	2998	250	340	03.17-	*
520 d (B47 D20 A)		Diesel	RWD	1995	140	190	03.17-11.19	*
520 d (B47 D20 B)		Diesel	RWD	1995	140	190	03.17-11.19	*
520 d xDrive (B47 D20 A)		Diesel	4WD	1995	140	190	07.17-11.19	*
520 d xDrive (B47 D20 B)		Diesel	4WD	1995	140	190	07.17-11.19	*
530 d (B57 D30 A)		Diesel	RWD	2993	195	265	03.17-	*
530 d xDrive (B57 D30 A)		Diesel	4WD	2993	195	265	03.17-	*
540 d xDrive (B57 D30 B)		Diesel	4WD	2993	235	320	07.17-	*
<b>6 Serie IV GRAN TURISMO (G32) 06.17-</b>					<b>[CAMBIADO]:Fastback (Grand Tourer-S Segment)</b>			
630 i (B48 B20 B)		Gasolina	RWD	1998	183	249	06.17-06.20	*
630 i (B48 B20 B)		Gasolina	RWD	1998	190	258	07.17-06.20	*
640 i (B58 B30 A)		Gasolina	RWD	2998	250	340	06.17-06.20	*
640 i (B58 B30 C)		Gasolina	RWD	2998	250	340	06.17-06.20	*
640 i xDrive (B58 B30 A)		Gasolina	4WD	2998	250	340	06.17-06.20	*
640 i xDrive (B58 B30 C)		Gasolina	4WD	2998	250	340	06.17-06.20	*
640 i (B58 B30 A)		Gasolina	RWD	2998	265	360	06.17-06.20	*
640 i (B58 B30 C)		Gasolina	RWD	2998	265	360	06.17-06.20	*
640 i xDrive (B58 B30 A)		Gasolina	4WD	2998	265	360	06.17-06.20	*
640 i xDrive (B58 B30 C)		Gasolina	4WD	2998	265	360	06.17-06.20	*
630 i Mild-Hybrid		Gasol./el éc.	RWD	1998	180	245	07.20-	*
630 i Mild-Hybrid (B48 B20 B)		Gasol./el éc.	RWD	1998	190	258	07.20-	*
630 i Mild-Hybrid (JA1)		Gasol./el éc.	RWD	1998	190	258	07.20-	*
640 i Mild-Hybrid (B58 B30 C)		Gasol./el éc.	RWD	2998	245	333	07.20-	*
640 i Mild-Hybrid (JA1)		Gasol./el éc.	RWD	2998	245	333	07.20-	*
630 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	RWD	2993	155	211	07.20-	*
630 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	2993	155	211	07.20-	*
630 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	RWD	2993	210	286	07.20-	*

# LISTA DE APLICACIONES - BUYERS GUIDE

630 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	2993	210	286	07.20-	*
630 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	07.20-	*
630 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	210	286	07.20-	*
640 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	07.20-	*
640 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	250	340	07.20-	*
630 d (B57 D30 A)		Diesel	RWD	2993	155	211	06.17-06.20	*
630 d xDrive (B57 D30 A)		Diesel	4WD	2993	155	211	06.17-06.20	*
630 d xDrive (B57 D30 A)		Diesel	4WD	2993	183	249	06.17-06.20	*
630 d (B57 D30 A)		Diesel	RWD	2993	195	265	06.17-06.20	*
630 d xDrive (B57 D30 A)		Diesel	4WD	2993	195	265	06.17-06.20	*
640 d xDrive (B57 D30 B)		Diesel	4WD	2993	235	320	11.17-06.20	*
<b>7 Serie VI (G11, G12) 07.15-</b>					<b>Sedán (Luxury car-F Segment)</b>			
730 i (B48 B20 B)		Gasolina	RWD	1998	183	249	11.15-06.22	*
730 i, Li (B48 B20 B)		Gasolina	RWD	1998	190	258	11.15-02.19	*
730 i, Li (B48 B20 B)		Gasolina	RWD	1998	195	265	03.19-06.22	*
740 i,Li (B58 B30 A)		Gasolina	RWD	2998	240	326	07.15-02.19	*
740 Li xDrive (B58 B30 A)		Gasolina	4WD	2998	240	326	03.16-02.19	*
740 i,Li		Gasolina	RWD	2998	245	333	03.19-06.22	*
740 Li xDrive		Gasolina	4WD	2998	245	333	03.19-06.22	*
740 i,Li (B58 B30 C)		Gasolina	RWD	2998	250	340	03.19-06.22	*
740 Li xDrive (B58 B30 C)		Gasolina	4WD	2998	250	340	03.19-06.22	*
740 e, Le (B48 B20 B)		Gasol./el éc.	RWD	1998	190	258	07.16-02.19	*
740 Le xDrive (B48 B20 B)		Gasol./el éc.	4WD	1998	190	258	07.16-02.19	*
740 e, Le (B48 B20 B)		Gasol./el éc.	RWD	1998	240	326	07.16-02.19	*
740 Le xDrive (B48 B20 B)		Gasol./el éc.	4WD	1998	240	326	07.16-02.19	*
730 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	155	211	07.20-06.22	*
730 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	155	211	07.20-06.22	*
730 d, Ld Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	183	249	07.20-06.22	*
730 d, Ld Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	183	249	07.20-06.22	*
730 d, Ld Mild-Hybrid (B57 D30 B)		Diesel/el éc.	RWD	2993	210	286	07.20-05.22	*
730 d, Ld Mild-Hybrid (JA1)		Diesel/el éc.	RWD	2993	210	286	07.20-05.22	*
730 d, Ld Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	07.20-06.22	*
730 d, Ld Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	210	286	07.20-06.22	*
740 d, Ld Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	07.20-06.22	*
740 d, Ld Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	250	340	07.20-06.22	*
730 d (B57 D30 A)		Diesel	RWD	2993	155	211	07.15-06.20	*
730 d xDrive (B57 D30 A)		Diesel	4WD	2993	155	211	09.15-06.20	*
730 d, Ld xDrive (B57 D30 A)		Diesel	4WD	2993	183	249	09.15-06.20	*
730 d, Ld (B57 D30 A)		Diesel	RWD	2993	195	265	09.15-06.20	*
730 d, Ld xDrive (B57 D30 A)		Diesel	4WD	2993	195	265	09.15-06.20	*
740 d, Ld xDrive (B57 D30 B)		Diesel	4WD	2993	235	320	11.15-06.20	*

# LISTA DE APLICACIONES - BUYERS GUIDE

8 Serie II (G14, F91) 11.18-					Cabrio (Grand Tourer-S Segment)			
840 i		Gasolina	RWD	2998	245	333	11.20-	*
840 i xDrive		Gasolina	4WD	2998	245	333	11.20-	*
840 i (B58 B30 C)		Gasolina	RWD	2998	250	340	07.19-	*
840 i xDrive (B58 B30 C)		Gasolina	4WD	2998	250	340	07.19-10.20	*
840 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	11.20-	*
840 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	250	340	11.20-	*
840 d xDrive (B57 D30 B)		Diesel	4WD	2993	235	320	11.18-10.20	*
8 Serie II (G15, F92) 07.18-					Coupé (Grand Tourer-S Segment)			
840 i		Gasolina	RWD	2998	245	333	11.20-	*
840 i		Gasolina	RWD	2998	245	333	11.20-	*
840 i xDrive		Gasolina	4WD	2998	245	333	11.20-	*
840 i xDrive		Gasolina	4WD	2998	245	333	11.20-	*
840 i (B58 B30 C)		Gasolina	RWD	2998	250	340	07.19-	*
840 i (B58 B30 C)		Gasolina	RWD	2998	250	340	07.19-10.20	*
840 i xDrive (B58 B30 C)		Gasolina	4WD	2998	250	340	07.19-10.20	*
840 i xDrive (B58 B30 C)		Gasolina	4WD	2998	250	340	07.19-	*
840 d xDrive (B57 D30 B)		Diesel	4WD	2993	235	320	07.18-10.20	*
840 d xDrive (B57 D30 B)		Diesel	4WD	2993	235	320	07.19-10.20	*
i4 (G26) 11.21-					Coupé (Compact executive car-D Segment)			
eDrive40		Eléctrico	RWD		250	340	11.21-	*
M50 A las 4 ruedas		Eléctrico	4WD		400	544	11.21-	*
ix (I20) 07.21-					SUV (Luxury Crossover CUV-J Segment)			
xDrive40		Eléctrico	4WD		240	326	07.21-	*
xDrive 50		Eléctrico	4WD		385	523	07.21-	*
xDrive M60		Eléctrico	4WD		455	619	01.22-	*
X3 III (G01, F97, G08) 07.17-					SUV (Luxury Crossover SUV-J Segment)			
sDrive 20 i 1.6 (B48 B16 A)		Gasolina	RWD	1597	125	170	12.17-	*
sDrive20i (B48 B20 A)		Gasolina	RWD	1998	135	184	12.17-	*
sDrive20i (K20A9)		Gasolina	RWD	1998	135	184	12.17-	*
xDrive20i (B48 B20 A)		Gasolina	4WD	1998	135	184	12.17-	*
xDrive20i (B48 B20 B)		Gasolina	4WD	1998	135	184	12.17-	*
xDrive 30 i (B48 B20 B)		Gasolina	4WD	1998	183	249	08.17-	*
sDrive 30 i		Gasolina	RWD	1998	185	248	04.18-	*
xDrive 30 i (B46 B20 B)		Gasolina	4WD	1998	185	252	08.17-	*
xDrive 30 i (B48 B20 B)		Gasolina	4WD	1998	185	252	08.17-	*
xDrive M40 i (B58 B30 A)		Gasolina	4WD	2998	260	354	09.18-08.19	*
xDrive M40 i (B58 B30 A)		Gasolina	4WD	2998	265	360	08.17-	*
xDrive M40 i (B58 B30 B)		Gasolina	4WD	2998	285	387	09.19-	*
xDrive 30e Plug-in-Hybrid (B46 B20 B)		Gasol./el éc.	4WD	1998	120	163	12.19-	*
xDrive 30e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	4WD	1998	120	163	12.19-	*
xDrive 30e Plug-in-Hybrid (B46 B20 B)		Gasol./el éc.	4WD	1998	135	184	12.19-	*
xDrive 30e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	4WD	1998	135	184	12.19-	*
xDrive 30 i Mild Hybrid		Gasol./el éc.	4WD	1998	180	245	08.21-	*
xDrive 30e Plug-in-Hybrid		Gasol./el éc.	4WD	1998	200	272	01.23-	*

# LISTA DE APLICACIONES - BUYERS GUIDE

xDrive 30e Plug-in-Hybrid (B46 B20 B)		Gasol./el éc.	4WD	1998	215	292	12.19-	*
xDrive 30e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	4WD	1998	215	292	12.19-	*
xDrive 30e Plug-in-Hybrid (B46 B20 B)		Gasol./el éc.	4WD	1998	215	292	12.19-	*
xDrive 30e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	4WD	1998	215	292	12.19-	*
xDrive M40 i Mild Hybrid		Gasol./el éc.	4WD	2998	265	360	08.21-	*
sDrive 18 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	100	136	07.20-	*
sDrive 18 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	100	136	07.20-	*
sDrive 18 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	110	150	07.20-	*
sDrive 18 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	110	150	07.20-	*
xDrive 20 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	4WD	1995	120	163	04.20-	*
xDrive 20 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	1995	120	163	04.20-	*
xDrive 20 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	4WD	1995	140	190	04.20-	*
xDrive 20 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	1995	140	190	04.20-	*
xDrive 30 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	183	249	07.20-	*
xDrive 30 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	183	249	07.20-	*
xDrive 30 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	07.20-	*
xDrive 30 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	210	286	07.20-	*
xDrive M40 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	07.20-	*
xDrive M40 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	250	340	07.20-	*
sDrive 18 d (B47 D20 A)		Diesel	RWD	1995	100	136	04.18-06.20	*
sDrive 18 d (B47 D20 B)		Diesel	RWD	1995	100	136	04.18-06.20	*
sDrive 18 d (B47 D20 A)		Diesel	RWD	1995	110	150	04.18-06.20	*
sDrive 18 d (B47 D20 B)		Diesel	RWD	1995	110	150	04.18-06.20	*
xDrive 20 d (B47 D20 A)		Diesel	4WD	1995	120	163	08.17-03.20	*
xDrive 20 d (B47 D20 B)		Diesel	4WD	1995	120	163	08.17-03.20	*
xDrive 20 d (B47 D20 A)		Diesel	4WD	1995	140	190	08.17-03.20	*
xDrive 20 d (B47 D20 B)		Diesel	4WD	1995	140	190	08.17-03.20	*
xDrive 25 d (B47 D20 B)		Diesel	4WD	1995	155	211	04.18-	*
xDrive 25 d (B47 D20 B)		Diesel	4WD	1995	170	231	04.18-	*
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	183	249	12.17-06.20	*
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	195	265	08.17-06.20	*
xDrive M40 d (B57 D30 B)		Diesel	4WD	2993	240	326	08.18-06.20	*
<b>X3 III Van (G01) 07.17-</b>					<b>Furgoneta/SUV (Luxury Crossover SUV-J Segment)</b>			
xDrive20i (B48 B20 A)		Gasolina	4WD	1998	135	184	12.17-	*
xDrive20i (B48 B20 B)		Gasolina	4WD	1998	135	184	12.17-	*
xDrive 30 i (B48 B20 B)		Gasolina	4WD	1998	185	252	08.17-	*
xDrive M40 i (B58 B30 A)		Gasolina	4WD	2998	265	360	08.17-08.19	*
xDrive M40 i (B58 B30 B)		Gasolina	4WD	2998	285	387	09.19-	*
sDrive 18 d (B47 D20 A)		Diesel	RWD	1995	110	150	04.18-	*
sDrive 18 d (B47 D20 B)		Diesel	RWD	1995	110	150	04.18-	*
xDrive 20 d (B47 D20 A)		Diesel	4WD	1995	140	190	08.17-	*
xDrive 20 d (B47 D20 B)		Diesel	4WD	1995	140	190	08.17-	*

# LISTA DE APLICACIONES - BUYERS GUIDE

xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	195	265	08.17-	*
<b>X4 II (G02, F98) 04.18-</b>					<b>SUV (Luxury Crossover SUV-J Segment)</b>			
xDrive20i (B48 B20 A)		Gasolina	4WD	1998	135	184	04.18-	*
xDrive 30 i (B48 B20 B)		Gasolina	4WD	1998	183	249	04.18-	*
xDrive 30 i (B46 B20 B)		Gasolina	4WD	1998	185	252	04.18-	*
xDrive 30 i (B48 B20 B)		Gasolina	4WD	1998	185	252	04.18-	*
xDrive M40 i (B58 B30 A)		Gasolina	4WD	2998	260	354	04.18-08.19	*
xDrive M40 i (B58 B30 A)		Gasolina	4WD	2998	265	360	04.18-	*
xDrive M40 i (B58 B30 B)		Gasolina	4WD	2998	285	387	09.19-	*
xDrive 20 i Mild Hybrid		Gasol./el éc.	4WD	1998	135	184	08.21-	*
xDrive 30 i Mild Hybrid		Gasol./el éc.	4WD	1998	180	245	07.21-	*
xDrive M40 i Mild Hybrid		Gasol./el éc.	4WD	2998	265	360	08.21-	*
xDrive 20 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	4WD	1995	120	163	04.20-	*
xDrive 20 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	1995	120	163	04.20-	*
xDrive 20 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	4WD	1995	140	190	04.20-	*
xDrive 20 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	1995	140	190	04.20-	*
xDrive 30 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	183	249	07.20-	*
xDrive 30 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	183	249	07.20-	*
xDrive 30 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	07.20-	*
xDrive 30 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	210	286	07.20-	*
xDrive M40 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	07.20-	*
xDrive M40 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	250	340	07.20-	*
xDrive 20 d (B47 D20 A)		Diesel	4WD	1995	120	163	04.18-03.20	*
xDrive 20 d (B47 D20 A)		Diesel	4WD	1995	140	190	04.18-03.20	*
xDrive 25 d (B47 D20 B)		Diesel	4WD	1995	155	211	04.18-	*
xDrive 25 d (B47 D20 B)		Diesel	4WD	1995	170	231	04.18-	*
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	183	249	09.18-06.20	*
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	195	265	04.18-06.20	*
xDrive M40 d (B57 D30 B)		Diesel	4WD	2993	240	326	04.18-06.20	*
<b>X5 IV (G05) 11.19-</b>					<b>Furgoneta/SUV (Luxury Crossover SUV-J Segment)</b>			
xDrive 40 i (B58 B30 C)		Gasolina	4WD	2998	250	340	11.19-03.23	*
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	195	265	11.19-03.23	*
<b>X5 IV (G05, F95) 08.18-</b>					<b>SUV (Luxury Crossover SUV-J Segment)</b>			
sDrive 40 i		Gasolina	RWD	2998	250	340	08.19-03.23	*
xDrive 40 i (B58 B30 C)		Gasolina	4WD	2998	250	340	08.18-03.23	*
xDrive 40 i Mild-Hybrid		Gasol./el éc.	4WD	2998	245	333	12.20-03.23	*
xDrive 30 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	183	249	08.20-	*
xDrive 30 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	183	249	08.20-	*
xDrive 30 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	08.20-	*
xDrive 30 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	210	286	08.20-	*
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	183	249	08.18-07.20	*
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	195	265	08.18-07.20	*

# LISTA DE APLICACIONES - BUYERS GUIDE

X6 III (G06, F96) 08.19-					SUV (Luxury Crossover SUV-J Segment)			
xDrive 40 i (B58 B30 C)		Gasolina	4WD	2998	250	340	08.19-03.23	*
xDrive 40 i Mild-Hybrid		Gasol./el éc.	4WD	2998	245	333	12.20-03.23	*
xDrive 30 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	155	211	08.20-	*
xDrive 30 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	155	211	08.20-	*
xDrive 30 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	183	249	08.20-	*
xDrive 30 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	183	249	08.20-	*
xDrive 30 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	08.20-03.23	*
xDrive 30 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	210	286	08.20-03.23	*
X7 (G07) 03.19-					SUV (Luxury Crossover SUV-J Segment)			
xDrive 40 i (B58 B30 C)		Gasolina	4WD	2998	250	340	03.19-	*
xDrive 40 i Mild-Hybrid		Gasol./el éc.	4WD	2998	245	333	12.20-	*
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	155	211	03.19-08.20	*
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	183	249	03.19-	*
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	195	265	03.19-	*
Z4 III (G29) 11.18-					Cabrio (Sports car-S Segment)			
sDrive20i (B46 B20 B)		Gasolina	RWD	1998	120	163	11.18-	*
sDrive20i (B48 B20 B)		Gasolina	RWD	1998	120	163	11.18-	*
sDrive20i (B46 B20 B)		Gasolina	RWD	1998	145	197	11.18-	*
sDrive20i (B48 B20 B)		Gasolina	RWD	1998	145	197	11.18-	*
sDrive 30 i (B46 B20 B)		Gasolina	RWD	1998	190	258	11.18-	*
sDrive 30 i (B48 B20 B)		Gasolina	RWD	1998	190	258	11.18-	*
M40 i (B58 B30 C)		Gasolina	RWD	2998	250	340	11.18-	*
M40 i		Gasolina	RWD	2998	285	387	03.19-	*
BMW (BRILLIANCE)								
3 SERIES VII (G28, G20) 06.19-					Sedán (Compact executive car-D Segment)			
320i		Gasolina	RWD	1998	115	156	11.19-	*
330 Li		Gasolina	RWD	1998	115	156	11.19-	*
325i		Gasolina	RWD	1998	135	184	06.19-	*
330i		Gasolina	RWD	1998	190	258	11.19-	*
330 Li xDrive		Gasolina	4WD	1998	190	258	11.19-	*
5 SERIES VII (G38) 06.17-					Sedán (Executive car-E Segment)			
540 Li		Gasolina	RWD	2998	250	340	06.17-	*
TOYOTA								
SUPRA V (DB_) 03.19-					Coupé (Grand Tourer-S Segment)			
2.0 (DB82, DB81, DB86) (B48L)		Gasolina	RWD	1998	145	197	06.19-	*
2.0 (DB21, DB22, DB23, DB26) (B46H)		Gasolina	RWD	1998	190	258	06.19-	*
2.0 (DB21, DB22, DB23, DB26) (B48H)		Gasolina	RWD	1998	190	258	06.19-	*
3.0 GR (DB41, DB42, DB43, DB45, DB46) (B58)		Gasolina	RWD	2998	250	340	03.19-	*
3.0 GR (DB41, DB42, DB43, DB45, DB46) (B58 B30 C)		Gasolina	RWD	2998	250	340	03.19-	*