


# LISTA DE APLICACIONES - BUYERS GUIDE


## RB2282



8 424073 171269

Qty: 300      Weight: 3.065

O.E.M.	MAKE
000 420 49 00	MERCEDES-BENZ
000 420 50 00	MERCEDES-BENZ
000 420 79 00	MERCEDES-BENZ
000 420 84 03	MERCEDES-BENZ
000 420 90 00	MERCEDES-BENZ



2x


2x

2x      Ref. 651837

2x      Ref. 651838

4x      Ref. 651841

## RB2282



**E 90R-02A0111/4934**



Brembo

141.9x96.1x19

WVA	FMSI
22500	D1871-9100
22586	
22587	

Sin Filas



Trac.	CC	Kw	CV		
					
				Front / Rear	

MERCEDES-BENZ									
C-Class IV (A205) 06.16-					Cabrio (Compact executive car-D Segment)				
AMG C 43 4-matic (205.464) (M 276.823)		Gasolina	4WD	2996	270	367	10.16-05.18	*	
AMG C 43 4-matic (205.464) (M 276.823)		Gasolina	4WD	2996	287	390	05.18-04.23	*	
C-Class IV (C205) 10.15-					Coupé (Compact executive car-D Segment)				
AMG C 43 4-matic (205.364) (M 276.823)		Gasolina	4WD	2996	270	367	04.16-05.18	*	
AMG C 43 4-matic (205.364) (M 276.823)		Gasolina	4WD	2996	287	390	05.18-04.23	*	
C-Class IV (W205) 07.13-					Sedán (Compact executive car-D Segment)				
AMG C 43 4-matic (205.064) (M 276.823)		Gasolina	4WD	2996	270	367	04.16-05.18	*	
C 450 AMG 4-matic (205.064) (M 276.823)		Gasolina	4WD	2996	270	367	04.15-05.18	*	
AMG C 43 4-matic (205.064) (M 276.823)		Gasolina	4WD	2996	287	390	05.18-05.21	*	
C-Class IV T-Model (S205) 09.14-					[CAMBIADO]:Break (Compact executive car-D Segment)				
AMG C 43 4-matic (205.264) (M 276.823)		Gasolina	4WD	2996	270	367	04.16-05.18	*	
C 450 AMG 4-matic (205.264) (M 276.823)		Gasolina	4WD	2996	270	367	04.15-05.18	*	
AMG C 43 4-matic (205.264) (M 276.823)		Gasolina	4WD	2996	287	390	05.18-02.21	*	
CLS-Class III (C257) 12.17-					Coupé (Executive car-E Segment)				
CLS 300 (257.348)		Gasolina	RWD	1991	190	258	07.18-	*	
CLS 350 EQ Boost (257.350) (M 264.920)		Gasol./el éc.	RWD	1991	220	299	08.18-	*	
CLS 350 EQ Boost 4-matic (257.351) (M 264.920)		Gasol./el éc.	4WD	1991	220	299	08.18-	*	
CLS 450 EQ Boost (257.358)		Gasol./el éc.	RWD	2999	270	367	01.19-	*	
CLS 450 EQ Boost 4-matic (257.359) (M 256.930)		Gasol./el éc.	4WD	2999	270	367	12.17-	*	

# LISTA DE APLICACIONES - BUYERS GUIDE

CLS 300 d 4-matic (257.319)		Diesel/el éc.	4WD	1992	195	265	04.21-	*
CLS 300 d (257.318) (OM 654.920)		Diesel	RWD	1950	180	245	04.18-	*
CLS 350 d 4-matic (257.321) (OM 656.929)		Diesel	4WD	2925	183	249	12.17-	*
CLS 350 d (257.320) (OM 656.929)		Diesel	RWD	2925	210	286	08.18-	*
CLS 350 d 4-matic (257.321) (OM 656.929)		Diesel	4WD	2925	210	286	12.17-	*
CLS 400 d 4-matic (257.323) (OM 656.929)		Diesel	4WD	2925	243	330	06.20-	*
CLS 400 d 4-matic (257.323) (OM 656.929)		Diesel	4WD	2925	250	340	12.17-	*
<b>E-Class V (A238) 06.17-</b>					<b>Cabrió (Executive car-E Segment)</b>			
E 300 (238.448) (M 274.920)		Gasolina	RWD	1991	180	245	06.17-	*
E 300 (238.483) (M 264.920)		Gasolina	RWD	1991	190	258	03.19-	*
E 400 (238.465)		Gasolina	RWD	2996	245	333	01.18-12.18	*
E 400 4-matic (238.466) (M 276.823)		Gasolina	4WD	2996	245	333	06.17-	*
E 450 4-matic (238.468) (M 276.823)		Gasolina	4WD	2996	270	367	08.18-	*
E 450 (238.467)		Gasolina	RWD	2999	270	367	01.19-	*
E 300 EQ Boost (238.483) (M 264.920)		Gasol./el éc.	RWD	1991	190	258	06.19-	*
E 350 EQ Boost (238.485) (M 264.920)		Gasol./el éc.	RWD	1991	220	299	10.17-	*
E 450 EQ Boost 4-matic (238.459) (M 256.930)		Gasol./el éc.	4WD	2999	270	367	07.20-	*
E 350 d (238.420) (OM 656.929)		Diesel	RWD	2925	210	286	11.18-	*
E 400 d 4-matic (238.423) (OM 656.929)		Diesel	4WD	2925	243	330	07.20-	*
E 400 d 4-matic (238.423) (OM 656.929)		Diesel	4WD	2925	250	340	08.18-	*
E 350 d 4-matic (238.434) (OM 642.873)		Diesel	4WD	2987	190	258	06.17-	*
<b>E-Class V (C238) 12.16-</b>					<b>Coupé (Executive car-E Segment)</b>			
E 200 (238.342) (M 274.920)		Gasolina	RWD	1991	135	184	12.16-	*
E 300 (238.348) (M 274.920)		Gasolina	RWD	1991	180	245	12.16-	*
E 300 (238.383) (M 264.920)		Gasolina	RWD	1991	190	258	08.18-	*
E 350 4matic (238.386)		Gasolina	4WD	1991	220	299	09.18-	*
E 400 (238.365)		Gasolina	RWD	2996	245	333	01.18-12.18	*
E 400 4-matic (238.366) (M 276.823)		Gasolina	4WD	2996	245	333	12.16-	*
E 450 (238.367)		Gasolina	RWD	2996	270	367	01.19-	*
E 450 4-matic (238.368, 238.359) (M 276.823)		Gasolina	4WD	2996	270	367	08.18-	*
E 300 EQ Boost (238.383) (M 264.920)		Gasol./el éc.	RWD	1991	190	258	06.19-	*
E 350 EQ Boost (238.385) (M 264.920)		Gasol./el éc.	RWD	1991	220	299	10.17-	*
E 450 EQ Boost 4-matic (238.459) (M 256.930)		Gasol./el éc.	4WD	2999	270	367	07.20-	*
E 220 d (238.314)		Diesel	RWD	1950	120	163	12.16-	*
E 220 d (238.314) (OM 654.920)		Diesel	RWD	1950	143	194	12.16-	*
E 350 d (238.320) (OM 656.929)		Diesel	RWD	2925	210	286	11.18-	*
E 400 d 4-matic (238.323) (OM 656.929)		Diesel	4WD	2925	243	330	07.20-	*
E 400 d 4-matic (238.323) (OM 656.929)		Diesel	4WD	2925	250	340	08.18-	*
E 350 d 4-matic (238.334) (OM 642.873)		Diesel	4WD	2987	190	258	06.17-	*
<b>E-Class V (W213) 01.16-</b>					<b>Sedán (Executive car-E Segment)</b>			
E 300 (213.048) (M 274.920)		Gasolina	RWD	1991	180	245	07.16-06.20	*
E 300 4-matic (213.049)		Gasolina	4WD	1991	180	245	01.16-06.20	*
E 300 (213.048, 213.083) (M 274.920)		Gasolina	RWD	1991	190	258	02.19-10.23	*
E 300 (213.083) (M 264.920)		Gasolina	RWD	1991	190	258	04.19-10.23	*
E 400 4-matic (213.066) (M 276.823)		Gasolina	4WD	2996	245	333	06.16-05.18	*
E 450 4-matic (213.068) (M 276.823)		Gasolina	4WD	2996	270	367	08.18-06.20	*
AMG E 43 4-matic (213.064) (M 276.823)		Gasolina	4WD	2996	295	401	07.16-05.18	*

# LISTA DE APLICACIONES - BUYERS GUIDE

E 400 4-matic (213.071) (M 276.853)		Gasolina	4WD	3498	245	333	07.16-05.18	*
E 300 e (213.053) (M 274.920)		Gasol./el éc.	RWD	1991	155	211	11.18-	*
E 350 e (213.050) (M 274.920)		Gasol./el éc.	RWD	1991	155	211	07.16-	*
E 300 EQ Boost (213.083) (M 264.920)		Gasol./el éc.	RWD	1991	190	258	06.19-10.23	*
E 350 e (213.050) (M 274.920)		Gasol./el éc.	RWD	1991	210	286	07.16-06.19	*
E 350 EQ Boost (213.085) (M 264.920)		Gasol./el éc.	RWD	1991	220	299	08.18-10.23	*
E 300 e (213.053) (M 274.920)		Gasol./el éc.	RWD	1991	235	320	11.18-10.23	*
E 350 e (213.050) (M 274.920)		Gasol./el éc.	RWD	1991	235	320	09.16-06.19	*
E 450 EQ Boost 4-matic (238.459) (M 256.930)		Gasol./el éc.	4WD	2999	270	367	07.20-10.23	*
E 300 de (213.016) (OM 654.920)		Diesel/el éc.	RWD	1950	143	194	10.18-	*
E 300 de 4-matic (213.011) (OM 654.920)		Diesel/el éc.	4WD	1950	143	194	06.20-	*
E 300 de (213.016) (OM 654.920)		Diesel/el éc.	RWD	1950	225	306	10.18-10.23	*
E 300 de 4-matic (213.011) (OM 654.920)		Diesel/el éc.	4WD	1950	225	306	06.20-08.23	*
E 350 d (213.022) (OM 656.929)		Diesel	RWD	2925	210	286	08.18-06.20	*
E 400 d 4-matic (213.023) (OM 656.929)		Diesel	4WD	2925	243	330	06.20-10.23	*
E 400 d (213.020) (OM 656.929)		Diesel	RWD	2925	250	340	12.18-06.20	*
E 400 d 4-matic (213.023) (OM 656.929)		Diesel	4WD	2925	250	340	04.18-10.23	*
E 350 d (213.033) (OM 642.855)		Diesel	RWD	2987	190	258	01.16-05.18	*
E 350 d 4-matic (213.034) (OM 642.873)		Diesel	4WD	2987	190	258	06.17-05.18	*
<b>E-Class V All-Terrain (S213) 01.17-</b>					<b>[CAMBIADO]:Break (Executive car-E Segment)</b>			
E 450 EQ Boost (213.260) (M 256.930)		Gasol./el éc.	4WD	2999	270	367	08.20-08.23	*
E 400 d 4-matic (213.227) (OM 656.929)		Diesel	4WD	2925	243	330	07.20-10.23	*
E 400 d 4-matic (213.227) (OM 656.929)		Diesel	4WD	2925	250	340	08.18-10.23	*
E 350 d 4-matic (213.237) (OM 642.873)		Diesel	4WD	2987	190	258	06.17-05.18	*
<b>E-Class V T-Model (S213) 07.16-</b>					<b>[CAMBIADO]:Break (Executive car-E Segment)</b>			
E 400 4-matic (213.266)		Gasolina	4WD	2996	245	333	01.17-12.18	*
E 450 4-matic (213.268) (M 276.823)		Gasolina	4WD	2996	270	367	08.18-06.20	*
AMG E 43 4-matic (213.264) (M 276.823)		Gasolina	4WD	2996	295	401	10.16-05.18	*
E 400 4-matic (213.271) (M 276.853)		Gasolina	4WD	3498	245	333	10.16-05.18	*
E 300 e (213.253) (M 274.920)		Gasol./el éc.	RWD	1991	155	211	06.20-	*
E 300 EQ Boost (213.283) (M 264.920)		Gasol./el éc.	RWD	1991	190	258	06.19-10.23	*
E 300 e (213.253) (M 274.920)		Gasol./el éc.	RWD	1991	235	320	06.20-08.23	*
E 450 EQ Boost (213.259) (M 256.930)		Gasol./el éc.	4WD	2999	270	367	08.20-08.23	*
E 300 de (213.216) (OM 654.920)		Diesel/el éc.	RWD	1950	143	194	10.18-	*
E 300 de 4-matic (213.211) (OM 654.920)		Diesel/el éc.	4WD	1950	143	194	08.20-	*
E 300 de (213.216) (OM 654.920)		Diesel/el éc.	RWD	1950	225	306	10.18-10.23	*
E 300 de 4-matic (213.211) (OM 654.920)		Diesel/el éc.	4WD	1950	225	306	08.20-08.23	*
E 350 d (213.222) (OM 656.929)		Diesel	RWD	2925	210	286	08.18-06.20	*
E 400 d 4-matic (213.223) (OM 656.929)		Diesel	4WD	2925	243	330	07.20-10.23	*
E 400 d (213.220) (OM 656.929)		Diesel	RWD	2925	250	340	02.19-06.20	*
E 400 d 4-matic (213.223) (OM 656.929)		Diesel	4WD	2925	250	340	04.18-10.23	*

# LISTA DE APLICACIONES - BUYERS GUIDE

E 350 d (213.233) (OM 642.855)	Diesel	RWD	2987	190	258	10.16-05.18	*
E 350 d 4-matic (213.234) (OM 642.873)	Diesel	4WD	2987	190	258	06.17-05.18	*
<b>EQC (N293) 05.19-</b>				<b>SUV (Compact SUV-J Segment)</b>			
EQC 400 4-matic (293.890) (EM 780.998)	Eléctrico	4WD		300	408	05.19-07.23	*
<b>GLC-Class (X253) 06.15-</b>				<b>SUV (Luxury Crossover SUV-J Segment)</b>			
F-CELL (253.992, 253.993)	Hidrógeno	RWD		80	109	10.18-04.20	*
F-CELL (253.992, 253.993)	Hidrógeno	RWD		155	211	10.18-04.20	*
200 (253.342) (M 274.920)	Gasolina	RWD	1991	135	184	06.16-04.19	*
200 (253.942) (M 274.920)	Gasolina	RWD	1991	135	184	06.16-04.19	*
200 (253.943)	Gasolina	FWD	1991	135	184	06.16-	*
200 d 4-matic (253.343)	Gasolina	4WD	1991	135	184	11.16-04.19	*
260 4-matic (253.381) (M 264.920)	Gasolina	4WD	1991	145	197	11.19-03.23	*
250 4-matic (253.346) (M 274.920)	Gasolina	4WD	1991	155	211	06.16-04.19	*
250 4-matic (253.946) (M 274.920)	Gasolina	4WD	1991	155	211	06.15-04.19	*
300 4-matic (253.949)	Gasolina	4WD	1991	177	241	07.15-04.19	*
300 (253.948) (M 274.920)	Gasolina	RWD	1991	180	245	01.16-04.19	*
300 4-matic (253.349) (M 274.920)	Gasolina	4WD	1991	180	245	10.16-04.19	*
300 4-matic (253.949) (M 274.920)	Gasolina	4WD	1991	180	245	07.15-04.19	*
300 4-matic (253.384) (M 264.920)	Gasolina	4WD	1991	190	258	11.19-03.23	*
AMG 43 4-matic (253.364) (M 276.823)	Gasolina	4WD	2996	270	367	10.16-08.19	*
AMG 43 4-matic (253.964) (M 276.823)	Gasolina	4WD	2996	270	367	04.16-08.19	*
AMG 43 4-matic (253.364) (M 276.823)	Gasolina	4WD	2996	287	390	08.19-03.23	*
AMG 43 4-matic (253.964) (M 276.823)	Gasolina	4WD	2996	287	390	08.19-06.22	*
250 CNG 4-matic (253.946) (M 274.920)	Gasol./Gas (CNG)	4WD	1991	155	211	06.15-04.19	*
250 Flexfuel 4-matic (253.946) (M 274.920)	Gasol./Etanol	4WD	1991	155	211	06.15-04.19	*
200 4-matic (253.343)	Gasol./eléct.	4WD	1991	145	197	01.17-05.19	*
200 4-matic (253.943)	Gasol./eléct.	4WD	1991	145	197	01.16-12.18	*
200 EQ Boost (253.380) (M 264.920)	Gasol./eléct.	RWD	1991	145	197	04.19-03.23	*
200 EQ Boost (253.980) (M 264.920)	Gasol./eléct.	RWD	1991	145	197	04.19-06.22	*
200 EQ Boost 4-matic (253.981) (M 264.920)	Gasol./eléct.	4WD	1991	145	197	04.19-06.22	*
200 EQ Boost 4-matic (253.981) (M 264.920)	Gasol./eléct.	4WD	1991	145	197	04.19-03.23	*
300 e 4-matic (253.353) (M 274.920)	Gasol./eléct.	4WD	1991	155	211	11.19-	*
300 e 4-matic (253.953) (M 274.920)	Gasol./eléct.	4WD	1991	155	211	11.19-	*
350 e 4-matic (253.354) (M 274.920)	Gasol./eléct.	4WD	1991	155	211	10.16-04.19	*
350 e 4-matic (253.954) (M 274.920)	Gasol./eléct.	4WD	1991	155	211	01.16-04.19	*
300 4-matic (253.349)	Gasol./eléct.	4WD	1991	190	258	11.16-05.19	*
300 4-matic (253.949)	Gasol./eléct.	4WD	1991	190	258	09.15-05.19	*
300 EQ Boost 4-matic (253.984) (M 264.920)	Gasol./eléct.	4WD	1991	190	258	04.19-06.22	*
300 EQ Boost 4-matic (253.984) (M 264.920)	Gasol./eléct.	4WD	1991	190	258	04.19-03.23	*
300 e 4-matic (253.353)	Gasol./eléct.	4WD	1991	235	320	11.19-03.23	*
300 e 4-matic (253.953) (M 274.920)	Gasol./eléct.	4WD	1991	235	320	11.19-06.22	*

# LISTA DE APLICACIONES - BUYERS GUIDE

350 e 4-matic (253.354) (M 274.920)		Gasol./el éc.	4WD	1991	235	320	10.16-04.19	*
350 e 4-matic (253.954) (M 274.920)		Gasol./el éc.	4WD	1991	235	320	01.16-04.19	*
300 de 4-matic (253.311) (OM 654.920)		Diesel/el éc.	4WD	1950	143	194	05.20-	*
300 de 4-matic (253.911) (OM 654.920)		Diesel/el éc.	4WD	1950	143	194	05.20-	*
300 de 4-matic (253.311) (OM 654.920)		Diesel/el éc.	4WD	1950	225	306	05.20-03.23	*
300 de 4-matic (253.911) (OM 654.920)		Diesel/el éc.	4WD	1950	225	306	05.20-06.22	*
200 d (253.313) (OM 654.920)		Diesel	RWD	1950	120	163	04.19-08.21	*
200 d (253.913) (OM 654.920)		Diesel	RWD	1950	120	163	04.19-06.22	*
200 d 4-matic (253.316) (OM 654.920)		Diesel	4WD	1950	120	163	04.19-03.23	*
200 d 4-matic (253.916) (OM 654.920)		Diesel	4WD	1950	120	163	04.19-06.22	*
220 d (253.914) (OM 654.920)		Diesel	RWD	1950	143	194	04.19-06.22	*
220 d 4-matic (253.315) (OM 654.920)		Diesel	4WD	1950	143	194	04.19-03.23	*
220 d 4-matic (253.915) (OM 654.920)		Diesel	4WD	1950	143	194	04.19-06.22	*
300 d 4-matic (253.319) (OM 654.920)		Diesel	4WD	1950	180	245	04.19-03.23	*
300 d 4-matic (253.919) (OM 654.920)		Diesel	4WD	1950	180	245	04.19-06.22	*
220 d 4-matic (253.303, 253.305) (OM 651.921)		Diesel	4WD	2143	120	163	06.16-04.19	*
220 d 4-matic (253.905, 253.903) (OM 651.921)		Diesel	4WD	2143	120	163	06.15-04.19	*
220 d 4-matic (253.303, 253.305) (OM 651.921)		Diesel	4WD	2143	125	170	06.16-04.19	*
220 d 4-matic (253.905, 253.903) (OM 651.921)		Diesel	4WD	2143	125	170	06.15-04.19	*
250 d 4-matic (253.309) (OM 651.921)		Diesel	4WD	2143	150	204	06.16-04.19	*
250 d 4-matic (253.909) (OM 651.921)		Diesel	4WD	2143	150	204	06.15-04.19	*
400 d 4-matic (253.323) (OM 656.929)		Diesel	4WD	2925	243	330	08.19-03.23	*
400 d 4-matic (253.923) (OM 656.929)		Diesel	4WD	2925	243	330	08.19-06.22	*
350 d 4-matic (253.325) (OM 642.873)		Diesel	4WD	2987	190	258	10.16-04.19	*
350 d 4-matic (253.925) (OM 642.873)		Diesel	4WD	2987	190	258	10.16-04.19	*

## MERCEDES-BENZ (BBDC)

E-Class (W213) 01.16-					Sedán (Executive car-E Segment)			
E 300 (213.048)		Gasolina	RWD	1991	180	245	11.16-	*
E 320 4-matic (213.163)		Gasolina	4WD	2996	200	272	11.16-	*
EQC (N293) 11.19-					Closed SUV (Compact SUV-J Segment)			
EQC 350 4-matic (293.891)		Eléctrico	4WD		210	286	06.20-	*
EQC 400 4-matic (293.890)		Eléctrico	4WD		300	408	11.19-	*
GLC-Class (X253) 11.15-					SUV (Luxury Crossover SUV-J Segment)			
200		Gasolina	FWD	1991	135	184	11.15-	*
200 L 4-matic (253.143)		Gasolina	4WD	1991	135	184	01.19-	*
260 L 4-matic (253.181)		Gasolina	4WD	1991	145	197	08.19-	*
260		Gasolina	FWD	1991	155	211	11.15-	*
260 L 4-matic (253.146)		Gasolina	4WD	1991	155	211	10.18-	*
300		Gasolina	FWD	1991	180	245	11.15-	*
300 L 4-matic (253.149)		Gasolina	4WD	1991	180	245	10.18-	*
300 L 4-matic (253.184)		Gasolina	4WD	1991	190	258	08.19-	*